Vol 4 Issue 3 Dec 2014

ISSN No : 2249-894X

Monthly Multidisciplinary Research Journal

Review Of Research Journal

Chief Editors

Ashok Yakkaldevi A R Burla College, India Flávio de São Pedro Filho Federal University of Rondonia, Brazil

Ecaterina Patrascu Spiru Haret University, Bucharest

Kamani Perera Regional Centre For Strategic Studies, Sri Lanka

Welcome to Review Of Research

RNI MAHMUL/2011/38595

ISSN No.2249-894X

Review Of Research Journal is a multidisciplinary research journal, published monthly in English, Hindi & Marathi Language. All research papers submitted to the journal will be double - blind peer reviewed referred by members of the editorial Board readers will include investigator in universities, research institutes government and industry with research interest in the general subjects.

Advisory Board

	Advisory bound			
Flávio de São Pedro Filho	Delia Serbescu	Mabel Miao		
Federal University of Rondonia, Brazil	Spiru Haret University, Bucharest, Romania	Center for China and Globalization, China		
Kamani Perera Regional Centre For Strategic Studies, Sri Lanka	Xiaohua Yang University of San Francisco, San Francisco	Ruth Wolf University Walla, Israel		
Ecaterina Patrascu Spiru Haret University, Bucharest	Karina Xavier Massachusetts Institute of Technology (MIT), USA			
Fabricio Moraes de AlmeidaFederal	May Hongmei Gao	Pei-Shan Kao Andrea		
University of Rondonia, Brazil	Kennesaw State University, USA	University of Essex, United Kingdom		
Anna Maria Constantinovici	Marc Fetscherin	Loredana Bosca		
AL. I. Cuza University, Romania	Rollins College, USA	Spiru Haret University, Romania		
Romona Mihaila	Liu Chen	Ilie Pintea		
Spiru Haret University, Romania	Beijing Foreign Studies University, China	Spiru Haret University, Romania		
Mahdi Moharrampour	Nimita Khanna	Govind P. Shinde		
Islamic Azad University buinzahra	Director, Isara Institute of Management, New	Bharati Vidyapeeth School of Distance		
Branch, Qazvin, Iran	Delhi	Education Center, Navi Mumbai		
Titus Pop PhD, Partium Christian University, Oradea, Romania	Salve R. N. Department of Sociology, Shivaji University, Kolhapur	Jayashree Patil-Dake		
J. K. VIJAYAKUMAR King Abdullah University of Science & Technology,Saudi Arabia.	P. MalyadriGovernment Degree College, Tandur, A.P.S. D. Sindkhedkar	MBA Department of Badruka College Commerce and Arts Post Graduate Centre (BCCAPGC),Kachiguda, Hyderabad		
George - Calin SERITAN	PSGVP Mandal's Arts, Science and	Maj. Dr. S. Bakhtiar Choudhary		
Postdoctoral Researcher	Commerce College, Shahada [M.S.]	Director,Hyderabad AP India.		
Faculty of Philosophy and Socio-Political	Anurag Misra	AR. SARAVANAKUMARALAGAPPA		
Sciences	DBS College, Kanpur	UNIVERSITY, KARAIKUDI,TN		

C. D. Balaji Panimalar Engineering College, Chennai

Bhavana vivek patole PhD, Elphinstone college mumbai-32

V.MAHALAKSHMI Dean, Panimalar Engineering College

S.KANNAN Ph.D , Annamalai University

Director, B.C.U.D. Solapur University, Solapur

Shiraz University of Medical Sciences

Al. I. Cuza University, Iasi

REZA KAFIPOUR

Rajendra Shendge

Shiraz, Iran

Awadhesh Kumar Shirotriya Secretary, Play India Play (Trust),Meerut (U.P.) Kanwar Dinesh Singh Dept.English, Government Postgraduate College, solan

More.....

Address:-Ashok Yakkaldevi 258/34, Raviwar Peth, Solapur - 413 005 Maharashtra, India Cell : 9595 359 435, Ph No: 02172372010 Email: ayisrj@yahoo.in Website: www.ror.isrj.org

Review Of Research Vol. 4 | Issue. 3 | Dec. 2014 Impact Factor : 2.1002 (UIF) ISSN:-2249-894X

Available online at www.ror.isrj.org

ORIGINAL ARTICLE



1

PULMONARY (LUNG) FUNCTIONING TEST OF EMPLOYEES IN EDUCATIONAL INSTITUTE OF JALGAON CITY, MAHARASHTRA

Kiran Pawar¹, Sarika Karda¹, Harshika Kaul¹ and Gauri Rane²

¹Department of Environmental Sciences, Moolji Jaitha Collegt, Jalgaon, Maharashtra. ²Department of Botany, Moolji Jaitha College, Jalgaon, Maharashtra.

Abstract:

The air we breathe has not only life supporting properties but also potential life damaging properties. Vehicular pollution is most important and one of the major source for the ambient air pollution in urban areas. The present investigation is based on measurement of Lung functioning of some employees of an educational institute who are exposed to heavy traffic areas. The selection of employees was done according to age group, vehicles they use and the heavy traffic signal points they are passing. The software based spirometer was used for pulmonary functioning test (PFT) of selected employee's shows remarkable variations in Forced Vital Capacity (FVC), Forced Expiratory Volume in one second (FEV1) and Peak Expiratory Flow Rate (PEFR). The ambient air quality was also assess and monitored during the period of Oct –Dec 2013 at main gate of educational institute and near areas for finding the air pollutants concentrations in such areas. From this it was observed that the concentration of suspended particulate matter (SPM) and respirable suspended particulate matter (RSPM) was exceeding the permissible limits given by CPCB. While the concentration of NOx and SOx found within limits given by CPCB. To develop exact relationship between these air pollutants and PFT test further study will be required which will be going on.

KEYWORDS:

Air, vehicular, Lung functioning, Spirometer, air pollutants.

INTRODUCTION

Normal air contains about 78% nitrogen, 21% oxygen, 0.93%, argon 0.038% carbon dioxide, and several other trace gases. Changes in the gaseous composition of earth's atmosphere have become a prime concern for today's world due to human activities.

Although a number of physical activities (volcanoes, fire, etc.) may release different pollutants in the environment, anthropogenic activities are the major cause of environmental air pollution. Hazardous chemicals can escape to the environment by accident, but a number of air pollutants are released from industrial facilities and other activities and may cause adverse effects on human health and the environment. Increased urbanization and industrialization in recent years in many developing countries have led to corresponding increases in atmospheric concentrations of primary and secondary pollutants (WHO/UNEP, 1992; Slanina et al., 1995; Mage et al., 1996). India and other developing countries have experienced a progressive degradation in air quality due to industrialization, urbanization, lack of awareness, number of motor vehicles, use of fuels with poor environmental performance, badly maintained

poor roads and ineffective environmental regulation (Joshi and Chauhan, 2008).

Title: "PULMONARY (LUNG) FUNCTIONING TEST OF EMPLOYEES IN EDUCATIONAL INSTITUTE OF JALGAON CITY, MAHARASHTRA", Source: Review of Research [2249-894X] Kiran Pawar¹, Sarika Karda¹, Harshika Kaul¹ and Gauri Rane² yr:2014 | vol:4 | iss:3

Timely monitoring of ambient air is taken up by WHO under the GEMS since decades. Of the many sources of air pollution in Indian cities, transport sector has been identified as the major contributor (Sharma and Chowdhury, 1996) Vehicular air pollution in India is due to a combination of poor vehicular maintenance, bad vehicle technology, poor fuel quality and non-existent traffic planning. The major pollutants emitted by vehicles include CO, HC, SO₂, NO_x and SPM. Vehicular emissions being released at the ground level are not easily diluted unlike industrial emissions. In addition, high rise buildings close to the roads in metropolitan cities hinder the dispersion of pollutants naturally.

REVIEW OF LITERATURE

Sengupta et al. (1974) has reported the age-induced asthma in the Indian population. Jain & Saxena (2002) conclude that the paved portion of roads having bad patches and slowing down of vehicles due to heavy traffic contributes to emission of higher air pollutants in urban centers. The prevalence of obstructive, restrictive and mixed type of functional impairment of the lung was found to have direct relationship with the dust concentration and duration of exposure (Chattrjee 1989).

Ambient air pollution in several large cities of India is amongst the highest in the world. Apart from local effects, air pollutants can travel long distances and cause impacts far from its source (Agrawal, 2005). Indian cities are facing serious problem of airborne particulate matter (Agarwal et al., 1999). In both children and adults, upper respiratory illness is mainly caused by viral agents especially the rhinoviruses, coronaviruses, influenza and parainfluenza virus, adenovirus and respiratory syncytial virus. Viral infection often leads to bacterial infection such as pneumonia in the developing countries (Graham, 1990). According to an estimate, dust pollutants comprise around 40% of total air pollution problem in India (Khan et al., 2005). Vehicular pollution contributes to 70% of total air pollution in Delhi, 52% in Mumbai and 30% in Calcutta (C.P.C.B., 2003; Ghokale and Patil, 2004).

OBJECTIVES OF THE STUDY

1. To determine the ambient air quality status at main entrance and nearby area of educational Institute of Jalgaon city.

2. Assessment of the respiratory health status of employees of educational Institute chronically exposed to ambient air pollution of Jalgaon city.

STUDYAREA

Jalgaon is one of the major city in Vehicular movement. As the Jalgaon is district place, Large MIDC area, reputed educational institutes, government offices, Agriculture/Grain/vegetable markets, big shopping complexes are situated in different parts of the city. As per provisional reports of Census India, population of Jalgaon city is 4, 60,468 in 2011 so use of different type's vehicles are more. Due to the good standard of living of the peoples, approximately each house of the city having one vehicle.

The present study was conducted in one of the reputed educational institute of Jalgaon city. The institute is situated middle part of the city near to National Highway No. 6. Two-three nationalize banks, hospitals, commercial shops; coaching classes and restaurants are situated near this study area. With this reasons the vehicular traffic is high at all times in this area including all types of vehicles. Approximately 3000 students are studied and near about 300 staff member are working in this institute. Among all of them 50% people came to institute by two-wheelers and four wheelers. As all the peoples living in different parts of the city, they cross minimum 2-3 heavy traffic signals points being directly exposed to ambient air pollution.

MATERIALAND METHODS

The study was designed to assess the status of ambient air quality in and surrounding area of study area and examine pulmonary function test of employees who directly exposed to ambient air pollution. The study was conducted in to two parts

I.Assessment and Monitoring of ambient air quality near study area II.Pulmonary function test (PFT) procedure






Fig 1 – Flow chart of methodology

II.PULMONARY FUNCTION TEST (PFT)

The present study was conducted on 100 employees. Out of them the observations of 84 employees were considered for the study. The detailed information of these 84 employees is given below in Table No.1. All these 84 employees (55 Males & 29 Females) were divided into four age group i.e. 21-30, 31-40, 41-50, 51-60 and having no smoking habits. All the subjects were choosed according to their mode of transportation and the signals (Chowk) which is they cross while coming to the institute. All pulmonary

3

Review Of Research | Volume 4 | Issue 3 | Dec 2014

function tests were done on the subject comfortably seated in an upright position. During the test the subject should adequately encouraged to perform at their optimum level and also a nose clip applied during entire maneuver. The flow volume curve was recorded. Test was carried out three times and best matching result was considered for analysis.

Sr. No.	Age Group (Years)	Sub	Total Nos.		
		Male	Female		
1	21-30	17	4	21	
2	31-40	9	12	21	
3	41-50	11	10	21	
4	51-60	18	3	21	
	Total				

Table 1:- Details of subjects involved in PFT Test

All the pulmonary functions (flow rate, lung volume and capacity) were measured by Spirotech portable Spirometer with in-built computer programme under standard condition. Before the test name, age, gender, height, weight and smoking habits of the subjects were entered in the soft ware of spirometer. According to this entered information spirometer gives two values one is predicted according to age, weight and other is result values. The Software using a set of predicted equations for the adults calculates the expected values. The detailed report was generated having all predicted and actual values, Flow Volume Graph & Volume-Time Graph which represents total 18 parameters out of which we consider 3 parameter for further reference.

RESULTAND DISCUSSION

1. Ambient Air Monitoring Data

The observed data of ambient air quality near main gate of the institute and at Mahabal area is tabulated in table no 2 and 3. The data of Mahabal area was taken in to account for the study because most of the employees came from this area. Also three signal points of heavy traffic are nearer to this area. The obtained data was compared with "residential zone standards" of CPCB.

Parameters		Months (Year-2013	Limits (As per CPCB	
	October	November	December	Standard) For 24 hrs.
SPM ($\mu g/m^3$)	910.25	887.10	1071.87	100
RSPM ($\mu g/m^3$)	334.56	302.16	291.20	100
$NO_x (\mu g/m^3)$	24.67	20.18	22.10	80
$SO_x(\mu g/m^3)$	21.77	19.38	20.35	80

Table 2:- Ambient air pollution status at main entrance of Educational institute.

Parameters		Months (Year-2013	Limits (As per CPCB	
	October	November	December	Standard) For 24 hrs.
SPM ($\mu g/m^3$)	187.78	195.00	201.88	100
RSPM ($\mu g/m^3$)	108.44	113.00	108.25	100
$NO_x (\mu g/m^3)$	33.56	43.00	37.25	80
$SO_x (\mu g/m^3)$	15.56	23.00	16.88	80

Table 3:- Ambient air pollution status at Mahabal Area near to educational Area (source: online monitoring data from MPCB, Jalgaon)

With above data it was observed that the oxides of nitrogen and sulfur were within limits in all months of study period at both locations.

The concentration of suspended particulate matter and respirable suspended particulate matter were high at both the locations. During the month of October (2013) the concentrations of SPM and RSPM near main gate of institute were 910.25 (μ g/m³) and 334.56 (μ g/m³) respectively. Also at Mahabal Area it exceeded the limits. The higher concentration of SPM and RSPM was observed in December (2013) near main gate of institute i.e. 1071.87 (μ g/m³) and 291.20 (μ g/m³) respectively.

4

Review Of Research | Volume 4 | Issue 3 | Dec 2014

2.Pulmonary function test (PFT) Data

		Age Group							
Sr. D.	21-30 (A)		31-40 (B)		41-50 (C)		51-60 (D)		
No.	No. Parameter	Expected	Observed	Expected	Observed	Expected	Observed	Expected	Observed
1	FVC	3.42±0.69	2.77±0.67	2.79±0.62	2.28±0.57	2.81±0.46	2.07±0.50	3.02±0.41	2.37±0.55
2	FEV1	2.89±0.62	2.45±0.57	2.28±0.56	2.11±0.55	2.23±0.40	1.87±0.47	2.35±0.33	2.16±0.45
3	PEFR	8.72±1.47	4.44±1.59	7.30±1.47	4.96±1.59	7.25±1.26	8.73±19.72	7.85±1.02	5.22±1.95

Table 4:- The age groups and observed values of PFT parameters in statistical manner.

The test was performed for comparison of expected and observed values against their individual pulmonary function test in different age groups.

Forced Vital Capacity is the maximal amount of air that can be exhaled following a maximal aspiratory effort. It was observed that FVC in age group (A) was (2.77 L) less than the expected (3.42 L) value. FVC in age group (B) was (2.28 L) less than the expected (2.79 L) value. FVC in age group (C) was (2.07 L) less than the expected (2.81 L) value. FVC in age group (D) was (2.37 L) less than the expected (3.02 L) value. Fig. 2 represents the bar graph of FVC test result.




Fig. 2: Avg. Values of Forced Vital Capacity

FEV1 is the volume of air exhaled in a one second during a forced vital capacity effort. The observed FEV1 was very less in age group (C) i.e 1.87 L, while expected value is 2.23 L for the same. The observed FEV1 for remaining age group is also less than expected values. Fig. 3 shows the result of FEV1.






Fig. 3: Avg. Values of FEV1

Peak Expiratory Flow Rate (PEFR) is the best test of expiratory effort. The PEFR was worst affected in Age group (A). PEFR observed was 4.44 L/s, which is less than expected 8.72 L/s. In age group (C) it is observed that the observed value (8.73 L/s) is more than the expected value (7.25 L,s). The observed results for PEFR shown by Fig. 4.




Fig. 4: Avg. Values Peak Expiratory Flow Rate

CONCLUSIONS

With the above results it was conclude that the ambient air quality near main gate of educational institute and Mahabal area was very poor. The level of NOx and SOx were within prescribed limits but the concentration of SPM and RSPM was very high cross the prescribed limits given by CPCB due to high vehicular movement in these areas.

By PFT test it was conclude that the observed values for Forced Vital Capacity (FVC) and FEV1 in all age grouped was lowered as compared to expected values. Peak Expiratory Flow Rate (PEFR) was lower in age group 21-30, 31-40 and 51-60; but in age group 41-50, PEFR was high as compared to expected values. To develop exact relationship between these air pollutants and PFT test further study will be required. Review Of Research | Volume 4 | Issue 3 | Dec 2014 6

ACKNOWLEDGEMENTS

The authors are thankful to Principal of this educational institute for their support to complete this work. The authors would also like to express sincere gratitude to Maharashtra Pollution Control Board, Jalgaon for providing ambient air quality data for the study area.

AUTHORS CONTRIBUTIONS

KPP lead the study. KPP and SPK carried out air monitoring and PFT test. HAK and GMR contributed in selection of employees, PFT test and data interpretations. All the authors contributed equally for the final writing and compilation of the manuscript.

REFERENCES

1.Abbey DE, Burchette RJ, Knutsen SF, MacDonnel WF, Lebowitz MD, Enright TL. Long-term particulate and other air pollutants and lung function in non-smokers. Am J Respir Crit Care Med 158, 289-298, 1998.

2.Aekplakorn W, Loomis D, Vichit-Vadakan N, Shy C, Plungchuchon S. Acute effects of SO2 and particles from a power plant on respiratory symptoms of children, Thailand. South East Asian J Trop Med Public Health 34, 906-914, 2003.

3. Agrawal M, Nandi PK and Rao DN, Water, Air Soil Pollut., 18, 449-454 (1982).

4.Agrawal M. Effects of air pollution of periurban agriculture: An issue of national concern. Natl. Acad. Sci. Lett., 28(3&4), 93-105, (2005).

5. Aneja VP, Agarwal A, Roelle PA, Phillip SB, Tong Q, Watkins N, Yablonsky R. Measurements and analysis of criteria pollutants in New Delhi, India. Environ Int 27, 35-42, 2001.

6. Anju Sharma and Anumita Roychowdhury 1996. Slow murder - the deadly story of

vehicular pollution in India. Ed. Anil. Agarwal. Centre for Science and Environment, New Delhi.

7.Beaty TH, Newill CA, Cohen BH, Tockman MS, Bryant SH, Spurgeon HA. Effects of pulmonary function on mortality. J Chronic Dis 38, 703-710, 1985.

8.Behera D, Sood P, Singhi S. Respiratory symptoms in Indian children exposed to different cooking fuels. J Asso Phy Ind 46, 182-184, 1998.

9. Chan KN, Elliman A, Bryan E, Silverman M. Respiratory symptoms in children of low birth weight. Arch Dis Child 64, 1294-1304, 1989.

10.Chattrjee BP, Alam J, Gangopadhyay PK (1989) A study of dynamic lung fuction in jute mill workers. Indian J Indus Med 35, 157–65.

11.Chattopadhyaya BP, Dipali S, Satipati C (1994) Pulmonary function test and the jute mill workers. Indian J Occup Health 37, 1–10

12.Colley JRT, Douglas JWB, Reid DD. Respiratory disease in young adults: influence of early childhood lower respiratory tract illness, social class, air pollution and smoking. BMJ 3, 195-198, 1973.

13.Cotes JE, Malhotra MS (1964) Difference in lung functions between Indians and Europeans. J Physiol 177, 17–8.

14.Collins JJ, Kasap HS, Holland WW. Environmental factors in child mortality in England and Wales. Am J Epidemiol 93, 10-22, 1971.

15.C.P.C.B. 2003. Parivesh: Polycyclic Aromatic Hydrocarbons (PAHs) in air and their effects on human health. November 2003, Central Pollution Control Board, Ministry of Environment and Forest, Delhi-32, page 20. (http://www.cpcb.delhi.nic.in/ph/ch81103.htm).

16.Dominici F, McDermott A, Daniels D, et al. Mortality among residents of 90 cities. In: Special Report: Revised Analyses of Time-Series Studies of Air Pollution and Health. Boston, Mass: Health Effects Institute; 2003: 9–24.

17.Dr. Shobha. J. C. Hemavathi Biological Monitoring of Urban Vehicular Pollution, University of Mysore, Maharani's Science College, Mysore.

18.Ellison, J.M.; Waller, R.E. A Review of Sulphur Oxides and Particulate Matter as Air Pollutants with Particular Reference to Effects on Health in the United Kingdom; Environ. Res. 1978, 16, 302-325.

19.Grahm NM (1990) The epidemiology of acute respiratory infections in children and adults: a global prospective. Epidemiol Rev 12, 149–78.

20.Ghokale, S.B. and Patil R. S.: Size distribution of aerosols (PM 10) and Lead (Pb) near traffic intersections in Mumbai (India). Environment Monitoring and Assessment, 95, 311-324. (2004).


21.Ingle ST, Pachpande BG, Wagh ND, Patel VS, Attarde SB. Exposure to vehicular pollution and

7

respiratory impairment of traffic policemen in Jalgaon city, India. Ind Health 2005; 43(4): 656–662.

Review Of Research | Volume 4 | Issue 3 | Dec 2014

PULMONARY (LUNG) FUNCTIONING TEST OF EMPLOYEES IN EDUCATIONAL INSTITUTE OF 22.Ingle S.T., Wagh N. D., Pachpande B. G., Patel V. S., Attarde S. B., The influence of workplace environment on Lung function of shopkeepers working near national highway in Jalgaon: A note. ELSEVIER-Transportation Research Part-D 10,2005, 476-482. 23.Jacobs MB, Hochheiser S (1958) Continuous sampling and ultra micro determination of nitrogen dioxide in air analyst. Chem 30, 426–8. 24. Jain M. K., Saxena C. Air quality assessment along Dhanbad-Jharia road. 2002 25.Jeelani Z, Shafiqa A, Tanki Shawl MI (1992) Status of peak expiratory flow rate (PEFR) ad forced expiratory volume (FEV1) in Kashmiri population. Indian J Pharmacol 24, 169-70. 26.Khan, A. M., Pandey V., Yunus M. and Ahmad K. J.: Plants as dust scavengers-a case study. Indian Forester, 115(9), 670–672, (1989). 27.Krelt JW, Gross KB, Moore TB, Lorenzen TJ, D'Arcy J, Eschenbacher WL (1989) Ozone induced changes in pulmonary function and bronchial responsiveness in asthmatics. J Appl Physiol 66, 217-22. 28.Nemery, B.; Hoet, P.H.M.; Nemmar, A. The Meuse Valley Fog of 1930: An Air Pollution Disaster; Lancet 2001, 357, 704-08. 29. Pope CA, Burnett RT, Thun MJ, et al. Lung cancer, cardiopulmonary mortality, and long-term exposure to fine particulate air pollution. JAMA. 2002; 287: 1132–1141. 30.Sullivan J, Ishikawa N, Sheppard L, et al. Exposure to ambient fine particulate matter and primary cardiac arrest in persons with and without clinically recognized heart disease. Am J Epidemiol. 2003; 157: 501-509. 31.Suwa T, Hogg JC, Quinlan KB, et al. Particulate air pollution induces progression of atherosclerosis. J Am Coll Cardiol. 2002; 39: 935–942. 32.Spengler JD. Long-term measurements of respirable sulfates and particles inside and outside homes. Atmos Environ. 1981; 15: 23-30. 33.Sengupta J, Shrinivasulu N, Sampat Kumar T (1974) Influence of age on maximum oxygen uptake and maximum heart rate of indians during work. Ind J Med Res 62, 8. 34. Tiittnen P, Timonen KL, Ruuskanen J, Mirme A, Pekkanen J (1999) Fine particulate air pollution, resuspended road dust and respiratory health among symptomatic children. Eur Respir J 13, 266-73. **Kiran Pawar** Department of Environmental Sciences, Moolji Jaitha Collegt, Jalgaon, Maharashtra. Sarika Karda Department of Environmental Sciences, Moolji Jaitha Collegt, Jalgaon, Maharashtra. Harshika Kaul Department of Environmental Sciences, Moolji Jaitha Collegt, Jalgaon, Maharashtra. Gauri Rane Department of Botany, Moolji Jaitha College, Jalgaon, Maharashtra.





Publish Research Article International Level Multidisciplinary Research Journal For All Subjects

Dear Sir/Mam,

We invite unpublished Research Paper,Summary of Research Project,Theses,Books and Books Review for publication,you will be pleased to know that our journals are

Associated and Indexed, India

- Directory Of Research Journal Indexing
- ★ International Scientific Journal Consortium Scientific
- * OPEN J-GATE

Associated and Indexed, USA

- DOAJ
- EBSCO
- Crossref DOI
- Index Copernicus
- Publication Index
- Academic Journal Database
- Contemporary Research Index
- Academic Paper Databse
- Digital Journals Database
- Current Index to Scholarly Journals
- Elite Scientific Journal Archive
- Directory Of Academic Resources
- Scholar Journal Index
- Recent Science Index
- Scientific Resources Database

Review Of Research Journal 258/34 Raviwar Peth Solapur-413005,Maharashtra Contact-9595359435 E-Mail-ayisrj@yahoo.in/ayisrj2011@gmail.com Website : www.ror.isrj.org