



BEHAVIORAL AND EMOTIONAL PROBLEMS OF CHILDREN WITH AUTISM SPECTRUM DISORDERS

Mahalakshmi M.¹ and M. Velusamy²

¹Research Scholar, Department of Social work, Alagappa University, Karaikudi.

²Assistant Professor, Department of Social work, Alagappa University, Karaikudi.

ABSTRACT :

Although it is entrenched to children with autism spectrum disorders together demonstrate superior level of emotional and behavioural problems, the stage and type of difficulties crossways the two groups encompass not earlier been frankly compare. Kids by autism spectrum disorders habitually near with affecting and behavioural problems, which can change the scientific track, particularly through children, and concern expectations value of life. Age-related differences within touching and behavioural problems were experiential equally in children with autism spectrum disorder and pedals, although the characteristics were special: in children with autism spectrum disorder, emotional symptoms and examine problems within mutually sexes and behaviour problems in girls improved considerably amid mature, although none of the troubles within the wheel untouched by mature except for a reduce during the achieve of hyperactivity/inattention developmentally in together sexes. This article is going to discuss about the behavioural and emotional problems of children with autism spectrum disorders.

KEYWORDS : Emotional, Behavioural, Autism Spectrum disorder, Children.

INTRODUCTION

Children with autism spectrum disorders habitually contain problematic emotional reaction and behaviours down with the skin that term autism. Conflict of emotion, notice, movement, and thinking, and related behavioural problems arise in children with autism of every age (Mazefsky et al., 2013). The disorder includes autism, asperser's syndrome and pervasive developmental disorder- not otherwise specified (Mayo Clinic, 2018). It is the surname used for an assortment of parallel circumstances, counting asperser pattern, to concern a person's communal interface, announcement, benefit and actions. In 89 children connecting the age of two and nine existence in India undergo from autism spectrum disorder. Based on the 2011 census data, this determination mean 22 million children in the age crowd in India are autistic it additional plated; these earnings at least 13 million nations in India exist with the circumstance. Autism spectrum disorders emerge to be additional susceptible to emotional and behavioural problem than naturally rising



children, and growing indication points to a muscular involvement connecting speech injury and performance troubles (Anonna, 2017). The difference emerges facing age three, and container be diagnosed through 18 months. In favour of a verdict of autism, child necessities have a specific number of symptoms in these areas: (i) Public interaction (ii) Announcement and (iii) Controlled array of behaviours, activities and interests.

EMOTIONAL AND BEHAVIOUR PROBLEMS

Emotional and behavioural troubles are familiar in kids with autism spectrum disorder. These problems frequently expand keen on attention deficit hyperactivity disorder, co morbid psychiatric disorder, such as oppositional insolent confusion and apprehension disorder (Gomes, 2008). Though, identify arousing a behavioural trouble to need exact intrusion is a lot difficult. Individual cause for the complexity is to facilitate children with autism spectrum disorder cannot afford satisfactory in sequence for clinicians to recognize the attendance of simultaneous arousing and behavioural problems of their impairments in societal announcement (Educational and Psychological Assessment Catalogue, 2014). The second cause is so as to the developmental trajectory of autism spectrum disorder may involve the indication landscape of emotional and behavioural problems to contain been experiential in the universal inhabitants. The third cause is to emotional and behavioural problems of children with autism spectrum disorder modify through age and are unlike among male and female patients (Kennady, 2011). Towards make a decision the age-related disparity in arousing and behavioural problems in children with autism spectrum disorder, judgment by method so as to run children is needed. Disappointment to notice simultaneous moving and behavioural problems, quite than autism spectrum disorder linked symptoms, container avert detailed interference and add to the danger of additional efficient injury. In detail, the attendance of emotional and behavioural problems is related with reduced clinical product. Therefore, premature discovery of such evils is significant to evade pain of the patients and their families. It is critical to encompass a showing apparatus to perceive emotional and behavioural problems in children with autism spectrum disorder for early interference (Das, Jain & Kale, 2018).

CHARACTERISTIC

Autism is characterized by obvious difficulty within actions, communication, social interaction and sensory sensitivities. Several of this uniqueness is ordinary between nations on the continuum; others are distinctive of the disability except not inevitably exhibit in all community on the autism spectrum. The autism spectrum disorder habitually exhibits outstanding rote remembrance skill; though, their operational recall, mainly dispensation some piece of in order next to solitary time, container to hard intended for nation. A few children expand distinctive speech patterns waiting age two and residential communal skills and extraordinary play with toys. Extensive in the offing can be tricky for several. Checklists preserve assist relieve the confusion adjoining formless time. Educator can also regard as having a container of remain instance activities, such as books, sensory items.

CAUSES OF AUTISM SPECTRUM DISORDER

Autism spectrum disorders have no solitary identified source. Specified the density of the disorder, as well as the detail to facilitate symptoms and strictness differ, present are perhaps a lot of causes. Together inheritance and atmosphere might participate a responsibility at least solitary faction of researchers has created a relation amid an irregular gene and autism. The genetic material can be immediately single genes to facilitate inter relate a number of ways to source the circumstance. Scientists believe to a defective genes' strength create a person added liable to expand autism while present as well supplementary factors in attendance, such as a substance disparity, chemicals, a lack of oxygen at birth.

GENETICS

A number of dissimilar genes emerge to be concerned in autism spectrum disorder. In favour of children, autism spectrum disorder container is linked with a hereditary disorder, such as frail X syndrome. Intended for additional children, hereditary change could enlarge the danger of autism spectrum disorder. Motionless further genes can affect brain growth communicate, they could decide the harshness of symptoms. Several hereditary mutations appear to be inborn, whilst others happen impulsively.

ENVIRONMENTAL FACTORS

Researchers are right now exploring whether factors such as viral infection, medications or complication through pregnancy, appearance pollutant participate a position in triggering autism spectrum disorder.

SYMPTOMS OF AUTISM SPECTRUM DISORDER

Autism spectrum disorder at home premature infancy, such as reduced eye contact, require of reaction to their indifference to caregivers. Additional kids can develop usually intended for the initial few months of life, except the next rapidly turn out to be reserved or violent or drop language skills they've by now acquire. Numerous children amid autism spectrum disorder emerge to develop commonly until roughly 18 to 24 months of age in adding to later they discontinue ahead new skills, or they drop the skills formerly (Richler et al., 2006). (i) Not react to their name by 12 months (ii) Not play act as if games by 18 months (iii) Provide disparate answers to questions. (iv) Comprise extraordinary reaction to the method things sound, small, taste, feel or look

PREVENTION OF AUTISM SPECTRUM DISORDER

There's no technique to check autism spectrum disorder, except present are conduct option. Additional plus further explore is connecting these disorders to hereditary factor that are further than your organize. Motionless, it's intelligent to diminish needless risk by avoid smoking, medicine use as difficult to conceive and while pregnant, as well as through intense a vigorous, reasonable fast and attractive prenatal vitamins during pregnancy.

CONCLUSION

Autism is a developmental disorder of neurobiological origin that is defined on the basis of behavioural and developmental features. Autism is best characterized as a spectrum of disorders that vary in severity of symptoms, age of one set, and association with other disorders. However, much research is still required in order to develop optimal intervention strategies, not just in childhood, but across the lifespan. Far more is still to be learned, too, about the genetic mechanisms involved, and the ways in which these affect brain development and brain function.

REFERENCES

- Anonna, D. (2017). Nearly 13 million people in india suffer from autism. Retrieved from <http://www.presreader.com/india/>.
- Das, A., Jain, P., & Kale, V. P. (2018). A Cross-Sectional Study To Assess Anxiety And Depression In Parents Of Children With Intellectual Disability. *Indian J Psychiatry*, 60(1), S125.
- Educational and Psychological assessment catalogue (2014). WPS unlocking potential . Retrieved from https://www.wpspublish.com/store/2014_WPS_Catalog.pdf
- Gomes, A. M. (2008). A supplementary coping skills programme for parents of children diagnosed with attention deficit hyperactivity disorder. Doctoral Thesis. Retrieved from <https://core.ac.uk/download/pdf/145050147.pdf>
- Kennedy, A. (2011). Early childhood Intervention reform project. Centre for community for community child health. Retrieved from <https://www.education.vic.gov.au/documents/childhood/providers/needs/ecislitreviewrevised.pdf>
- Mazefsky, C. A., Herrington, J., Siegel, M., Scarpa, A., Maddox, B. B., Scahill, L., & White, S. W. (2013). The role of emotion regulation in autism spectrum disorder. *Journal of the American Academy of Child & Adolescent Psychiatry*, 52(7), 679-688.
- Richler, J., Luyster, R., Risi, S., Hsu, W. L., Dawson, G., Bernier, R., ... & Goudie-Nice, J. (2006). Is there a 'regressive phenotype' of autism spectrum disorder associated with the measles-mumps-rubella vaccine? A CPEA study. *Journal of autism and developmental disorders*, 36(3), 299-316.