



THE IMPACT OF EXERCISE (PHYSICAL ACTIVITY) AND HEALTHY LIFESTYLE (EATING) AMONG THE YOUTH: A LITERATURE REVIEW

Bhagyajyoti Meti

ABSTRACT :


Exercise and healthy eating what are the effects in the youth. The purpose the research is to describe the impact of exercise and healthy eating on the youth's psychological, mental and social well-being. The aim of the thesis is to shed light on the positive and negative aspects of exercise, healthy eating and the role of the nurse in promoting physical activity and a healthy lifestyle. The theoretical framework of this thesis is built around the self determination theory and research consisting of exercise, healthy lifestyle and the impact on the youth. The thesis is done by way of narrative literature review method. Thirty eight articles on exercise and healthy lifestyle are reviewed and analyzed to support the author's aim. The research review in this thesis is from reliable databases and e-journals. The result of the literature show engagement in physical activity is recognized as a contributor to a range of positive outcomes in physical and mental health, social well-being and cognitive and academic performances. The literature identifies the fact that people who exercise and eating healthy food have a higher chance of living a healthy lifestyle and less risk of getting diseases like type 2 diabetes, depression, cardiovascular diseases which are associated with lack of physical activity and choice of lifestyle.

KEYWORDS : Exercise (physical activity), Healthy lifestyle (eating), Youth.

1. INTRODUCTION AND BACKGROUND

This thesis examines the impact of exercising and a healthy lifestyle among the youth. I have seen many people especially the youth jogging, running or walking alone or with a friend. This made me ask myself how exercise had helped them in their daily routine and if there was relation to healthy eating. Physical activity is one of the most basic human functions and needs which has benefits across the lifespan and according to GordonL arsen et al (2007) there is strong evidence that children and adolescents benefit from physical activity through improved: cardio respiratory and muscular fitness, bone health, cardiovascular and metabolic health biomarkers; and there is a growing body of evidence that inactive children are more likely to become inactive adults. Hence, the importance of introducing physical activity at an early age. (Janssen& Leblanc, 2010). Play and recreation are essential in learning motor and social skills and in the development of creativity (Gleave & Cole-Hamilton, 2012).

My research question is; what impact does exercising (physical activity) and healthy eating have among the youth. My research purpose is to find out the positive and negative aspects of exercise (physical activity) and healthy eating and the role of a nurse in



promoting physical activity and a healthy lifestyle. The aim is to provide the information to the youth and nurses to empower them.

I have used a narrative literature review methodology to describe the impact of exercise and healthy lifestyle on youth's physiological, mental and social well-being. I have used the self determination theory to describe the physiological, mental and social well-being. The hypothesis centers around the procedure through which an individual gain the inspiration for starting new wellbeing related practices and keeping up them extra minutes. The essential presumption of the hypothesis is that people ordinarily and dynamic, intrigue, inquisitive, self roused and anxious to succeed.

2. THEORETICAL FRAMEWORK

2.1 Level of youth

The age definition of youth varies from 10-15, 15-24 or 10 -35. Different cultural assumption underpin the definition of youth in particular countries and are often based on the average age for rites of passage, marriage, parenthood, employment or voting. The assumption is that age defines the boundaries of a group which exhibits some homogeneity of attitude. stephanie fahey and fay gale (2005). I will use the concept of" youth" to imply a social demographic group identified through and social economic traits determined by age and social position.(employed, unemployed and level of education) There is no unique or clear- cut definition of "youth". The "youth" constitutes of a group of individuals located somewhere between childhood and adulthood, but the notion of "youth" does not lend itself to definition as a life -cycle period in the same way as other groups such as "children" or the elderly might be defined. According to WHO (2010), Youth is a social demographic group identified through age and the distinctive features of the social position of its members, as well as through social psychological traits determined by age and social position. As a specific phase, or stage, of the life cycle, youth is biologically universal, but its specific age limits and the social status and socio-psychological features associated with it have their own social historical nature and are dependent on the social structure culture, and laws of socialization inherent in a particular society. In many countries the term "youth", adolescent, teenager, kid and young person are interchanged often meaning the same thing. Furlong. A (2011) but they are occasionally differentiated. Youth also identifies a particular mindset of attitude as in "he is very youthful" The term adolescent refers to specific age range during a specific age range during a specific developmental period in a person's life, unlike youth which is socially constructed category. Furlong. A (2013). Although linked to biological process of development and aging, youth is also defined as a social position that reflects the meanings different cultures and societies gives to individuals between childhood and adulthood. Youth is the stage of constructing the self – concept of youth is influenced by several variables such as peers, lifestyle, gender and culture. Wing, john jr (2012).

2.2 Exercise (physical activity)

Physical action is characterized as any substantial development created by skeletal muscles that outcome in vitality use past resting use. Exercise is a subset of physical movement that is arranged, organized, monotonous, and deliberate as in enhancement or support of physical wellness is the target (Exercise and physical wellness, 2009; Exercise for children, 2009; WHO, 2010). Practicing is the physical effort of the body making it to physical movement which results in a solid or more advantageous dimension of physical wellness both mental and physical wellbeing. Exercise physiology is a sub-discipline of kinesiology that addresses the short term biological responses to the stress of physical activity and how the body adopts to repeated bouts of physical activity over time. In this study, by exercise I mean the combination of physical exertion of the body and dieting with the aim of promoting a higher level of physical fitness, mental health and health in general. Dieting refers to the combination of physical exercise and eating a variety of foods that give one nutrients needed for energetic and healthy lifestyle. Dieting is often used in combination with physical exercise to lose weight, commonly in those who are overweight or obese. Healthy eating means,

eating a variety of foods that give you the nutrients you need to maintain your health, feel good and have energy. The nutrients include protein, carbohydrates, fat, water, vitamins and minerals.

2.3 Healthy lifestyle

The idea of wellbeing and sound way of life here does not just suggest minor nonattendance of illness or sickness by a condition of complete physical, mental and social prosperity According to Physical activity guidelines for Americans (2008) and WHO (2010), it is a concept emphasizing the eight aspects of wellbeing into one's life namely: emotional; environmental; financial; intellectual; occupational; physical; social; and spiritual. Following this broad definition, I use health and healthy lifestyle to encompass personal; psychological; social; what's more, physical capacities and as a condition of complete physical, mental and social prosperity and not simply the nonattendance of sickness or ailment. Wellbeing is an asset for regular day to day existence, not the object of living, and is a constructive idea stressing social and individual recourses just as physical capacities. Health is a fundamental human right, essential for personal development and an essential component of development, vital to a nation's economic growth and internal stability (WHO, 2010).

Fig 1 Healthy eating pyramid

2.4 Narrative review

In a literature review one can either choose a narrative or systematic review. Fink (2005) states that a literature review research can be used in diverse ways, proposals for funding and academic degrees being among them and it is usually done to understand a topic and bring to light what is currently known. A deliberate survey regularly incorporates a Meta investigation segment which includes utilizing factual procedures to union the information from a few examinations into a solitary quantitative gauge or synopsis impact measure. A precise survey normally includes a nitty gritty and extensive arrangement and such system inferred from the earlier, with the objective of decreasing inclination by distinguishing, assessing and orchestrating every single pertinent examination on a specific point. (Petticrew & Robert 2006) Narrative review is an informative explanatory analysis discerning what works for who, in what circumstances, in what respect and how (Pawson, 2005). An account survey will in general be for the most part elucidating does not include an efficient research of the writing and in this way regularly center around subset of concentrates in a zone picked dependent on accessibility or writer's determination. (Petticrew & Roberts 2006) Narrative review will be used in this thesis to answer the research question, what is the impact of exercise (physical activity) and healthy lifestyle have among the youth.

The goal of the review is a comprehensive summarization in everyday term of specific events experienced by individuals and groups. According to Mays et al (2005), a narrative review seeks to summarize and interpret evidence of a particular topic or question using either qualitative and or a qualitative evidence. It is anticipated that a narrative review, informed by a systematic review methodology, could serve to provoke thought and controversy (Green et al, 2006), provides overviews and integrations of an area, pulls together what is known about a particular phenomenon, and allows researchers to address much broader questions than a single empirical study could. According to Polit & Beck (2006), meta-synthesis is used to integrate, evaluate and interpret the findings of multiple qualitative research studies. It involves analyzing and synthesizing key elements of each study with the aim of transforming individual findings into new conceptualizations and interpretations. I use a narrative review as it synthesis's the literature I got from searches from computerized databases where I summarize them to make sense of the research and present an analysis so as to make it easier for the reader to assimilate and understand my research problem.

2.5 Self determination theory

While a few people partake in ordinary PA just for the happiness regarding working out, others seem to exercise to achieve characteristic or extraneous rewards, for example, shedding pounds, being

progressively alluring, or acquiring acknowledgment from critical others (Deci and Ryan, 2008) Previous research has demonstrated that people who practice out of delight instead of being propelled by natural or outer prizes are bound to hold fast to a predetermined exercise program (Deci and Ryan, 2008). Since the objective of wellbeing experts is to advance a proceeded with dynamic way of life in people not as of now meeting the present PA suggestions, examining the discernments that are identified with inspiration has as of late been at the focal point of much examination concerning seeing how to advance long haul conduct change. One hypothesis of human inspiration that has been connected widely to the comprehension of activity conduct is the self-assurance hypothesis (Deci and Ryan, 2008). In spite of the fact that there are numerous ways to deal with starting conduct change, investigate has appeared, long haul commitment in exercise is inadequate without reliable persuasive condition dependent on self-governingly steady intercessions (silva et al, 2011) The SDT, interestingly, centers around the procedures through which an individual secures the inspiration for starting new wellbeing related practices and keeping up them after some time. According to self determination theory, people need to feel the following in order to achieve such psychological growth.

- A competence people need to gain mastery of task and learnt different skills.
- Connection or relatedness: people need to experience a sense of belonging and attachment to each other.
- Autonomous people need to feel in control of their own behaviors and goals.

The hypothesis expect that people ordinarily are dynamic, intrigued, inquisitive, self persuaded, and anxious to succeed. What it additionally perceives however is that people can be estranged or aloof and antagonized and represents these distinctions as far as the kinds of inspiration, which originates from the connection between people intrinsic dynamic nature and the social conditions that either support or upset that nature (Deci and Ryan, 2008).

In particular, the SDT recommends that social direction towards a movement changes in the degree to which it is self-ruling (self-decided), which includes acting with a full feeling of volition and decision, or controlling, which includes carrying on with the experience of weight and request toward explicit results that originates from powers apparent to be outside to oneself (Deci and Ryan 2008). Besides, the hypothesis suggests that people have three fundamental mental requirements, independence, fitness and relatedness. Self-governance alludes to being the apparent cause or wellspring of one's own conduct, fitness, alludes to feeling compelling in ones progressing associations with the social condition and encountering chances of satisfaction, while relatedness alludes to feeling associated with others and to have a sentiment of belongingness with people and the network (Deci and Ryan, 2008). So when these three essential mental necessities are fulfilled, a person's characteristic action will be bolstered, ideal inspiration will be advanced, and constructive mental, formative, and social results will be created (Deci and Ryan, 2008). On the other hand, social conditions that frustrate fulfillment of these necessities yield less ideal types of inspiration and effectsly affect a wide assortment of prosperity results. To close, it is obvious that the SDT is a rationalization hypothesis which sees nature as sustaining need-fulfillment and inspiration.

3. IMPLEMENTATION OF THESIS

3.1 Purpose, aim and problem

The purpose of this thesis is to find out the positive and negative aspects of physical activity and healthy lifestyle. My aim is to provide a comprehensive picture of knowledge relating to exercising and healthy lifestyle. This thesis is relevant to both the youth and it can be used by school nurse or public health nurse to educate and guide the youth.

The research problem is what is the impact of exercising and healthy lifestyle among the youth. The research question to be answered in this thesis is: How physical exercise and healthy lifestyle affect the youth physically, mentally and socially.

3.2 Research method

I use a narrative literature review to describe and analyze the impact of exercise (physical activity) and healthy eating among the youth’s physiological, mental and social well-being. According to (Merriam, 2009), I am interested in understanding how people make sense of their world and the experiences they have in the world. Sociologists using these methods typically reject positivism and adopt a form of interpretive sociology (Parkinson & Drislane, 2011).

3.3 Data collection

The method of data collection was literature review. The literature search started with the research questions. Through the inclusion and exclusion criteria useful and relevant material and articles were gathered. The collection of data commenced in June from EBSCO, reliable electronic publications including who and pub med, and Google.

Tab 1: Inclusion and exclusion criteria

Inclusion criteria	Exclusion criteria
From 2003 to 2015	Older than 2003 non submissive
Full text	Non full text
Free articles	Payable article
English text	Other languages irrelevant due to interpretation
Youth	Other age groups
Health lifestyle	Unhealthy lifestyle
Exercise (physical activity)	In activity

3.4 Data analysis

Analysis of data is important so as to acquire relevant material according to the research questions. Inclusions and exclusion criteria aids in the analyzing process, there by being able to identify the articles that are useful and those that are not in accordance to relevance.(A. Helen. 2010)

To get a clear picture and to stay on track inclusion and exclusion criteria is useful also in showing the depth of the data analysis (A. Helen 2010)

Fink (2005, 4&5) mentioned there is seven criteria’s used in conducting research in literature review and they include:

- Selecting research questions
- Selecting bibliographic or articles databases. websites & other sources
- Choosing search terms
- Applying practical screening criteria
- Application of methodological screening criteria
- Reviewing the data to show validity and reliability, done through using a standardized form for retrieving data from articles
- Synthesizing the results done through a descriptive way by reviewing the findings

The articles were obtained from CINAHL and academic search elite database searches, both hosted by EBSCO; the results were categorized according to the keywords used. In CINAHL database search the key words used were youth, exercise and healthy lifestyle which got a total of 720 articles in total, 500 of the articles contained the abstract and 450 of them contained full text, 220 of them did not meet the criteria and I choose at random 10 articles to read and analyze and they were able to answer the research question. The key word youth which got 1000 articles in total and 600 of the articles contained only abstract without full text and 320 of them contained full text, I was able to read and analyze 10 articles, 4 of them did not

meet the criteria for inclusion and I was able to select 6 of the articles which were able to answer the research question.

The key word exercise was used and 1500 were found in total and 420 of the articles contained abstract and 200 of them contained full text 50 of them were relevant to the research question, I choose at random 20 articles to read and analyze and 16 of the articles answered my research question.

The key words healthy lifestyle got 750 articles in total and 400 of the articles contained only abstract without full text and 70 of them contained full text, I choose at random 6 articles which answered my research question. The academic search elite got, upon using the keywords youth, physical exercise, healthy lifestyle 150 articles were found, I read through abstracts of 10 of the articles that were selected randomly to conclude if to obtain the full text of the studies, after evaluation, I managed to get 8 articles that concentrated on the topic of the impact of exercise and healthy lifestyle among the youth, for possible inclusion. I read though the contents of the articles and studies including the data collection, data analysis, findings and conclusions, of the original 8 articles 3 met the research criteria and were good input on shedding light to previous work but was not used for this final project.

Tab 2: Summary of included studies

Articles	Authors	Method	Results	Results supporting authors aim
Physical activity sedentary behavior and dietary habits among Saudi adolescents relative to age, gender and region	Al- hazza, H.M., Abahussain, N.A., Al-soboyel, H,I., Qahwaji, D.M.,&Musalger, A.O (2011)	Literature review	There is a social cultural fact that female students have fewer opportunities to go from hostel for physical activity. Physical activity and sedentary behavior and dietary habits- high percentage 84%male and 94% female of the students spent more than two hours watching television most of the students did not take breakfast	Almost half of the male and two thirds of the females were not physically active according of the physical activities guidelines. Physical activities was significantly positively associated with fruits and vegetables intakes but not with sedentary lifestyle. Sedentary behavior, physical inactivity and dietary habits were highly prevalent among secondary school youth.
“So what is developmentally appropriate sport” Engaging community sport	Bailey, R.P (2012) Casey, M, Payne, W., Brown, S	Literature review Literature review	Physical activity is recognized to contribute to a range of outcomes Proper management of sport and recreational	Positive outcomes in physical, mental health , social wellbeing,

and recreation population health interventions: factors affecting formation, implementation and institutionalization of partnership effects	and Eime, R. (2009)		facilities produce positive outcomes	cognitive and academic performanceTo make the point that the encouragement of sport and recreation organization has potential to facilitate health promotion and public health.
Interventions to increase physical activity among healthy adults.	Conn VS, Hafdahl AR, Mehr DR. (2011)	Literatur e review	Physical activity that meet current guidelines is linked with important health outcomes such as reduction in cardiovascular disease.	To find out the effects of interventions designed to increase physical activity
“The “what” and “why” of goal pursuits: human needs and the self determination of behavior”	Deci E.L and R.M Ryan (2008)	Literatur e review	People who engage in physical activity and eat healthy foods have a higher chance of living a healthy lifestyle.	When the tree basic physiological needs are satisfied (autonomy competence and relatedness) an individual inherent activity will be supported and optimal motivation will be promoted.
A world without play: a literature review on the effects of a lack of play on children’s lives	Gleave, J., & Cole-Hamilton, I. (2012)	Literatur e review	Play and recreation are essential in learning motor and social skills and in the development of creativity.	Physical activityis one of the most basic human functions and needs which has benefits across the lifespan
Associations between coping with anger and feelings of depression among the youth	Goodwin, R.D (2006)	Literatur e review	Youth were more likely to participate in physical activity are less likely to feel depressed	The association between physical activity and depression.
Physical activity and other health-	Kwan, M.Y.,Cairn	Literatur e review	A decrease in physical activity showed an	To distinguish the method of

risk behaviors during the transition into early adulthood; A longitudinal cohort study	ey, J., Faulkner, G.E., & Pullenayegum, E.E (2012)		increase in many health risk behaviors such as smoking and drinking	physical activity based on gender and educational level
Integrating physical activity into mental health service for persons with serious mental illness	Richardson, C.R., Faulkner, G., McDevitt, J., Skirinar, G.S., Hutchinson, D.S., and Piette, J.D. (2005)	Literature review	It is necessary for people with mental illness to have frequent contact with their mental health service providers whose reinforcement can play a critical role in the successful long-term adaptation of regular physical activity	Does physical activity play a role in the recovery of mental health?
Physical activity guidelines for Americans	U.S. Department of Health and Human Services (2008)	Literature review	People who exercise and eat healthy food have a higher chance of living a healthy lifestyle	The effect of exercise and healthy eating on healthy lifestyle

4. RESULTS AND CONCLUSION

4.1 Physical exercise and youth According to U.S. Department of Health and Human services (2008) people who exercise and eat healthy food have a higher chance of a healthy lifestyle. Most findings on the effectiveness of exercise intervention and dieting suggest that exercising and dieting programmers’ designed to reduce the immediate and potential long term health effects should include a focus in improving and maintaining physical fitness through physical activity. Exercise intervention for exercising and dieting include aerobic activity e.g. cycling, walking, resistance training (weights) or some combination. According to Telama (2005) health-related behaviors’ (physical activity, dietary habits, locus of control and quality of life) are risk factors for the development of many diseases in adulthood. The late adolescence period of life is important because at this stage of life, the adolescents are independent in choosing their lifestyles and different habits which will affect their whole life. So, they have more chances to develop unhealthy health-related behaviors.

A study conducted in Finland to explore an association between physical activity and risk of health behaviors among the youth, which considered educational ambitions and family influence on their lives, showed that boys were more physically active than girls (vuori et al 2012). As far as ambitions of education were concerned, girls were commonly considered as having higher education than the boys. Large studies have found that girls who play sports have lower pregnancy rates, engaged in sexual intercourse less frequently, have fewer partners and begin sexual activity later than those not involve in sports.

Children’s engagement in sports competition is known to contribute to the developmental outcomes for a healthy lifestyle, where children learn about physical, social and cognitive skills (Choi et al, 2014). More broadly, engagement in physical activity is also recognized to contribute a range of positive outcomes, specifically; physical and mental health, social wellbeing, cognitive and academic performance (Bailey et al, 2012). According to WHO (2006), there is evidence to suggest that improved nutrition enhances learning

ability leading to better academic performance. Exposing children to balanced and nutritious food throughout childhood reinforces lifelong eating habits thus contributing to their overall wellbeing and helping them enjoy a healthy and fulfilling life in the future.

Plenty of research has been done on the effects of physical activity on health behavior and healthy lifestyle (Casey et al, 2009; Goodwin, 2006; Donaldson & Finch, 2012; Lloyd, 2005). Physical activity was associated with a decreased likelihood of depression in a survey of 9,938 school-age children. Male youths were more likely to participate in physical activity and less likely to feel depressed (Goodwin, 2006). In a population sample of 19,288 adolescent and adult twins and their families, exercisers were found on average to be less anxious, depressed and neurotic (DeMoor et al., 2006). Persons who have experienced coronary heart failure (CHF) undergo a dramatic reduction in their quality of life, which commonly causes them anxiety and depression. Clinical trials involving these patients have observed marked improvements in exercise capacity. The evidence suggests that exercise can play an important role in improving function and quality of life of patients with CHF (Lloyd-Williams & Mair, 2005)

According to U.S Department of Health and Human services (2008) and WHO (2010), youth who participate in organized sport and school of in the community are less likely to engage in risky behavior than no sports participants . Accordingly, Male and female teenaged athletes are less likely to use drugs, including marijuana, cocaine, crack cocaine, heroin and hallucinogens. Both male and female sports participants report a slightly higher incidence of binge drinking than non-sports participants, but lower overall alcohol use. Further, in both genders, taking breakfast irregularly, smoking, studying in vocational schools and poor self-perceived health was strongly associated with persistent inactivity. Results showed that persistent physical inactivity in adolescent had a relationship with less healthy life style, bad educational progress and poor self perceived health.

Youth who are physically active and participate in team sport are less likely to engage in unhealthy behavior such as substance abuse and risky sexual activities than those not involved in team sport. Fewer boys in team sport were found to have used "other drugs" like cocaine, heroin and methamphetamines, compared to their active counterparts, for female students, however, the combination of team sports and physical activity was particularly important. Female teens who participated in team sports and who were vigorously active were less likely to engage in risky behavior than teens who were only part of a team or only exercised vigorously. This result indicated that persistent physical inactivity in adolescent had a relationship with less healthy lifestyle, bad education progress and poor self perceived health.

A longitudinal cohort study conducted by Kwan et al (2012), to distinguish the methods of physical activity based on gender and educational level in a sample representative of adolescents on binge drinking, smoking, education level and demographics showed that there was by and large (24%) decrease in physical activity during the period of 12 years. A remarkable decrease in physical activity was observed during the transition of young adults into early adulthood, and the decline was clear among men who started college or university. The results also indicated an increase in many health risk behaviors during adolescence although smoking and binge drinking decreased gradually after their maturity. Nerin et al (2004) cross sectional research on the prevalence of tobacco users among university students participating in different sports found that physical exercise in adolescence when used as preventive program served as an obstacle to start smoking.


In the examination of health related lifestyle among students residing in university hostels in Egypt, looking at perceived health status, social support, unhealthy dietary behaviors physical activity behaviors, smoking, sleep behavior and specific harmful behaviors, female students were reported to be deficient in physical activity compared to their male counterparts. According to Al-hazza et al (2011) this study indicated that it may be a social cultural fact that female students have fewer opportunities to go out from hostel for physical activities.

Al-hazza et al (2011) observed the preference of physical activity sedentary behavior and dietary habits in adolescents of 15-19 yr old and their results showed a high percentage (84% male and 94% female) of the students spent more than 2 hours watching television daily. Almost half the males and two thirds of

the females were not physically active according to the physical activities guidelines. Most of them did not take daily breakfast, vegetables, fruits and milk. Physical activity was significantly positively associated with fruits and vegetables intake but not with sedentary lifestyle, however the studies concluded that sedentary behavior, physical inactivity and dietary habits were highly prevalent among secondary school adolescence.

Casey et al (2009) make the point that the engagement of sport and recreation organizations has potential to facilitate health promotion and public health. To enhance organizational capacity and achieve program sustainability, it is important that organizational processes, structures, and resources that support long-term health promotion practice are effectively and efficiently planned and managed. Participation in a supervised exercise-therapy program improved measures of self-esteem among obese and morbidly obese adolescents over time (Daley et al., 2006). Recently, Donaldson and Finch (2012) have presented an argument for the idea of health promoting sports clubs'. In their review of the evidence they examined approaches in Scandinavia and Australia where the first main focus was using sports clubs to promote health messages. More recently, the focus has shifted to using health promotion messages as a mechanism for increasing participation in sports.

Fig 2 physical activity and youth



Coping with physical activity is effective if one can be able to facilitate and accept the physical changes and also the need to rectify the situation.

4.2 Physical action and sound way of life Conn et al (2011) led a meta-examination outlining the impacts of mediations intended to increment physical action among solid grown-ups. Their discoveries showed that mediations intended to increment physical action were unassumingly compelling. Customary physical movement that meet momentum rules is connected with vital wellbeing results, incorporating decreases in cardiovascular ailment, type 2 diabetes, a few diseases, falls, osteoporotic breaks, and wretchedness, and upgrades in physical capacity, weight the board, subjective capacity and personal satisfaction.

Physical activity, it has been shown, is inversely associated with cognitive decline. Case control studies tend to show a slight beneficial influence of physical activity against Alzheimer’s disease. Prospective analyses (similar to longitudinal studies) tend to show a more convincing protective effect of physical activity against Alzheimer’s as well as against all forms of dementia combined. No evidence of harmful effects from physical activity or exercise (including vigorous exercise) is evident (Laurin et al., 2005). There is tentative evidence that participating in exercise is associated with an alleviation of negative symptoms associated with schizophrenia, such as depression, low self esteem, and social withdrawal. There is less evidence that exercise may be a useful coping strategy for dealing with positive symptoms, such as auditory hallucinations (Faulkner, 2005).

When administered as an adjunct in alcohol rehabilitation, exercise regimens definitely have positive effects on aerobic fitness and strength. Evidence for the benefits of exercise during drug rehabilitation is less substantial. In either field of rehabilitation, the links at present between exercise and improved self-esteem, better abstinence, controlled consumption levels, and reductions in anxiety and depression are equivocal

(Donaghy & Ussher, 2005). Physical activity plays role in the recovery of mental health. Richardson et al (2005) add two further reasons why physical activity program should be included in psychiatric services: The opportunity for individuals with mental illness to have frequent contact with their mental health service providers. As Richardson et al wrote, "... changing health behaviors can be difficult, and frequent reinforcement can play a critical role in the successful long-term adoption of regular physical activity"

4.3 CONCLUSION

The theory of self determination, a theory of " human motivation" has been applied extensively to the understanding of exercise behavior. The hypothesis recommends that people have three essential physiological necessities: independence, fitness and relatedness. At the point when these three essential physiological requirements are fulfilled an individual innate action will be upheld ideal inspiration will be advanced and positive mental improvement and conduct results will be delivered. The theory of self determination supports the literature review findings that people who engage in physical activity and eat healthy food have a higher chance of living a healthy lifestyle contribute to arrange of positive outcomes, such as mental health social well-being and academic performance. Research likewise interfaces normal exercise with decreases in coronary illness, diabetes, discouragement, weight the board which are immeasurably vital wellbeing results and supporters of value life. Research has also shown correlations between those who are physically active and participate in team sport are less likely to engage in unhealthy behavior such as substance abuse that those not engaged. Further, physical inactivity as research shows, has a relationship with less healthy lifestyle, poor education progress and poor perceived health. Other notable benefits of exercise are the alleviation of negative symptoms associated with social well-being such as low self esteem and depression. The nurse can very simply explain and encourage the youth in the safe and healthy way to improve the body both physically and mentally.

5. RELIABILITY AND VALIDITY

Validity can be defined as the degree to which an instrument measures what is supposed to be measured, it is the strength of the conclusions, in reference and propositions. mugenda (2003) defines reliability as the measure of the degree to which a research instrument yields consistent results or data after trials. For validity I came up with research questions that systematically pertained to all that I wanted to find out during the study. The same key words were used in different searches; several articles from different authors got the same results of the impact of exercise and healthy lifestyle among youth. I used this as a measure of criteria to obtain my research material. I also used text from 2003-2015. The literature review has also enabled me to identify the kind of question asked in other studies and responses is such questions for reliability, The fact that the date collected was analyzed by one author leaves room missed information and this may affect the reliability of the results. I looked for the relevant text from different articles and used it in relation to my research question and I captured the useful information.

6. DISCUSSION

People who exercise and eat healthy food have a higher chance of living a healthy lifestyle and less risk of getting those diseases associated with lack of physical activity and choice of lifestyle. Engagement in physical activity is recognized as a contributor to a range of positive outcomes in physical and mental health, social well-being and cognitive and academic performances. Standard physical movement is additionally connected with essential wellbeing results, for example, decrease in cardiovascular illness, type 2 diabetes, melancholy, weight the executives psychological capacity and personal satisfaction.

Research indicates that those who are physically active and participate in team sport are less likely to engage in unhealthy behavior such as substance abuse and risky sexual activities than those not involved. Persistent physical inactivity had a relationship with less healthy lifestyle bad education progress and poor self perceived health. Participation in a supervised exercise therapy program improves measures of self esteem among obese over time, there is tentative evidence that participating in exercise is associated with

an alleviation of negative symptoms associated with schizophrenia such as depression, low self esteem and social withdrawal. In my view, and in line with the literature review exercising and dieting have had both negative and positive impact on youth's lifestyle and healthy. Moderate dieting for insistence has been shown to be associated with negative self-esteem in some youth. Healthy lifestyle can be also have a significant impact on psychological health in youth during a time of rapid physical, psychological and social development.

REFERENCES

- Al hazza, H.M., Abahussain, N.A., Al-soboyel, H.I., Qahwaji, D.M., & Musalger, A.O., (2011) Physical activity sedentary behaviors and dietary habits among Saudi adolescents relative to age, gender and region. *International journal of behavioral Nutrition and Physical Activity*, 8, 140. doi:10.1186/1479-5868-8-140 Retrieved on June 18, 2015 from <http://www.ijbnpa.org/content/pdf/1479-5868-8-140.pdf>
- Arlene Fink (2005) *Conducting research literature review from the internet to paper* 2nd edition.
- Aveyard Helen 2010. *Doing a literature Review in Health and social care. A Practical guide.*
- Bailey, R.P (2012) "So what is developmentally appropriate sport?" *Active and Healthy* 19 (2), 12-24
- Casey, M, Payne, W., Brown, S. and Eime, R. (2009). Engaging community sport and recreation in population health interventions: factors affecting formation, implementation and institutionalization of partnerships efforts. *Annals of Leisure Research* 12(2): 129- 147.
- Choi, H.S., Johnson, B., & Kim, Y.K. (2014). Children's Development through Sports Competition: Derivative, Adjustive, Generative, and Maladaptive Approaches. *Quest*, 66 (2), 191-202.
- Conn VS, Hafdahl AR, Mehr DR. (2011) Interventions to Increase Physical Activity Among Healthy Adults: Meta-analysis of Outcomes. *American Journal of Public Health*, 101(4):751-758.
- Daley, A.J., Copeland, R.J., Wright, N.P., Roalfe, A., and Wales, J.K.H. (2006). Exercise Therapy as a Treatment for Psychopathologic Conditions in Obese and Morbidly Obese Adolescents: A Randomized, Controlled Trial. *Pediatrics*, vol. 188 (5), pp. 2126–2134.
- Deci E.L and R. M. Ryan, "The "what" and "why" of goal pursuits: human needs and the self-determination of behavior," *Psychological Inquiry*, vol. 11, no. 4, pp. 227–268, 2008. View at Google Scholar · View at Scopus
- Goodwin, R.D. (2006). Association between Coping with Anger and Feelings of Depression among Youths. *American Journal of Public Health*, vol. 96 (4), pp. 664–669.
- Gordon-Larsen, P., Adair, L. S., Nelson, M. C., & Popkin, B. M. (2004). Five-year obesity incidence in the transition period between adolescence and adulthood: The National Longitudinal Study of Adolescent Health. *American Journal of Clinical Nutrition*, 80, 569 – 575.
- Gleave, J., & Cole-Hamilton, I. (2012). A world without play: a literature review on the effects of a lack of play on children's lives. Retrieved from <http://www.playengland.org.uk/media/371031/a-worldwithout-play-literature-review2012.pdf>.
- Janssen, I., & Leblanc, A. (2010). A Systematic Review of the Health Benefits of Physical Activity in School-Aged Children and Youth. Retrieved from <http://www.ijbnpa.org/content/7/1/40>
- Kwan, M.Y., Cairney, J., Faulkner, G.E., & Pullenayegum, E.E., (2012). Physical Activity and Other Health-Risk Behaviors During the Transition Into Early Adulthood; A Longitudinal Cohort Study.