

Vol III Issue XI Aug 2014

ISSN No : 2249-894X

*Monthly Multidisciplinary
Research Journal*

*Review Of
Research Journal*

Chief Editors

Ashok Yakkaldevi
A R Burla College, India

Flávio de São Pedro Filho
Federal University of Rondonia, Brazil

Ecaterina Patrascu
Spiru Haret University, Bucharest

Kamani Perera
Regional Centre For Strategic Studies,
Sri Lanka

Welcome to Review Of Research

RNI MAHMUL/2011/38595

ISSN No.2249-894X

Review Of Research Journal is a multidisciplinary research journal, published monthly in English, Hindi & Marathi Language. All research papers submitted to the journal will be double - blind peer reviewed referred by members of the editorial Board readers will include investigator in universities, research institutes government and industry with research interest in the general subjects.

Advisory Board

Flávio de São Pedro Filho Federal University of Rondonia, Brazil	Horia Patrascu Spiru Haret University, Bucharest, Romania	Mabel Miao Center for China and Globalization, China
Kamani Perera Regional Centre For Strategic Studies, Sri Lanka	Delia Serbescu Spiru Haret University, Bucharest, Romania	Ruth Wolf University Walla, Israel
Ecaterina Patrascu Spiru Haret University, Bucharest	Xiaohua Yang University of San Francisco, San Francisco	Jie Hao University of Sydney, Australia
Fabricio Moraes de Almeida Federal University of Rondonia, Brazil	Karina Xavier Massachusetts Institute of Technology (MIT), USA	Pei-Shan Kao Andrea University of Essex, United Kingdom
Anna Maria Constantinovici AL. I. Cuza University, Romania	May Hongmei Gao Kennesaw State University, USA	Loredana Bosca Spiru Haret University, Romania
Romona Mihaila Spiru Haret University, Romania	Marc Fetscherin Rollins College, USA	Ilie Pinte Spiru Haret University, Romania
	Liu Chen Beijing Foreign Studies University, China	
Mahdi Moharrampour Islamic Azad University buinzahra Branch, Qazvin, Iran	Nimita Khanna Director, Isara Institute of Management, New Delhi	Govind P. Shinde Bharati Vidyapeeth School of Distance Education Center, Navi Mumbai
Titus Pop PhD, Partium Christian University, Oradea, Romania	Salve R. N. Department of Sociology, Shivaji University, Kolhapur	Sonal Singh Vikram University, Ujjain
J. K. VIJAYAKUMAR King Abdullah University of Science & Technology, Saudi Arabia.	P. Malyadri Government Degree College, Tandur, A.P.	Jayashree Patil-Dake MBA Department of Badruka College Commerce and Arts Post Graduate Centre (BCCAPGC), Kachiguda, Hyderabad
George - Calin SERITAN Postdoctoral Researcher Faculty of Philosophy and Socio-Political Sciences Al. I. Cuza University, Iasi	S. D. Sindkhedkar PSGVP Mandal's Arts, Science and Commerce College, Shahada [M.S.]	Maj. Dr. S. Bakhtiar Choudhary Director, Hyderabad AP India.
REZA KAFIPOUR Shiraz University of Medical Sciences Shiraz, Iran	Anurag Misra DBS College, Kanpur	AR. SARAVANAKUMARALAGAPPA UNIVERSITY, KARAIKUDI, TN
Rajendra Shendge Director, B.C.U.D. Solapur University, Solapur	C. D. Balaji Panimalar Engineering College, Chennai	V.MAHALAKSHMI Dean, Panimalar Engineering College
	Bhavana vivek patole PhD, Elphinstone college mumbai-32	S.KANNAN Ph.D , Annamalai University
	Awadhesh Kumar Shirotriya Secretary, Play India Play (Trust), Meerut (U.P.)	Kanwar Dinesh Singh Dept.English, Government Postgraduate College , solan

More.....

Address:-Ashok Yakkaldevi 258/34, Raviwar Peth, Solapur - 413 005 Maharashtra, India
Cell : 9595 359 435, Ph No: 02172372010 Email: ayisrj@yahoo.in Website: www.ror.isrj.net



NOMENCLATURE FOR PARASITIC DISEASES: COHABITATION WITH INCONSISTENCY FOR HOW LONG AND WHY

UMESH KR. JHA

Principal Investigator, Dept. OF H.Sc. M.L.S.M College, Darbhanga

Abstract:

In a recent survey it has been revealed that the majority (73.8%) of 126 national language parasitological textbooks or compendia from 21 countries of Europe published since 1990 adopted consistent '-osis' disease terminology and the rest (26.2%) used a mixture of disease names ending in '-osis' and '-iasis' inconsistently. For achieving substantial shift towards the use of more consistent disease terminology, the interest and support of the parasitologists' community is required.

KEY WORDS:

Parasitic diseases; Nomenclature; SNOAPAD; SNOPAD; History Contents.

INTRODUCTION

Nomenclature is more than just a system of names, it includes also provisions for their formation and use. If we look at how that definition applies to the nomenclature of parasitic diseases, it is clear that in this case the development was a spontaneous process as there were no established provisions or principles for coining names of diseases based on the taxonomic name of the parasite. This has resulted in an inconsistent disease terminology largely (but not solely) due to the indiscriminate use of several suffixes for the formation of names to denote parasitic diseases. Remember: consistency in terminological usage is an important requirement of intellectual hygiene and clear communication for any field of science!

2. Evolution and objectives of SNOPAD

In contrast to the basically homogenous terminology of bacterial and fungal diseases, a heterogeneous usage exists in the nomenclature of parasitic diseases or infections. For naming a disease entity, caused by parasitic agents, different names are being used, such as trypanosomosis and trypanosomiasis, fasciolosis, fascioliosis and fascioliasis, etc.

The existing usage of inconsistent disease terminology prompted the World Association for the Advancement of Veterinary Parasitology (WAAVP) to establish a Terminological ad hoc Committee in 1985, and to develop principles for a Standardised Nomenclature of Animal Parasitic Diseases (SNOAPAD). The Committee had members from France (Euzeby), Germany (Hiepe), Greece (Himonas), Hungary (Kassai), Spain (Cordero del Campillo) and the U.S.A. (Gaafar), and a wide range and composition of external reviewers from 17 countries of the world had expressed their criticism and consent before the principles of the standardised disease nomenclature were publicly launched (Kassai et al., 1988).

Although the SNOAPAD guidelines were originally meant for those concerned in veterinary parasitology, the proposal was found logical and sensible (first by Baker, 1989) to be adopted also for human parasitic diseases. Thus, in 1990 during ICOPAVII, at the Council Meeting of the World Federation

Title: "NOMENCLATURE FOR PARASITIC DISEASES: COHABITATION WITH INCONSISTENCY FOR HOW LONG AND WHY" , Source: Review of Research [2249-894X] UMESH KR. JHA yr:2014 | vol:3 | iss:11

NOMENCLATURE FOR PARASITIC DISEASES: COHABITATION WITH INCONSISTENCY FOR HOW

of Parasitologists the representatives of member societies unanimously endorsed the SNOAPAD principles for all parasitic infections. Since that time the reference to 'Animal' was dropped, thereby changing the acronym to SNOPAD (Kassai and Burt, 1994).

The major rationales for the SNOAPAD initiatives are listed below in Table 1. The main principles to be used in SNOPAD are outlined in Table 2. The essential rule put forward by the SNOPAD was very simple: construction of disease names by adding the suffix '-osis' to the stem of the name of the parasite taxon.

Table 1
Major rationales for the SNOAPAD initiatives

Codifies the rules of formation of disease names coined from the taxonomic names
Supports nomenclatural homogeneity by providing a standard list of disease names
Promotes adoption of the 'one disease – one name' concept
It is consistent with disease nomenclature in bacteriology and mycology
Facilitates electronic information handling and literature retrieval
Meets the requirement of intellectual hygiene of a consistent terminological usage

Table 2
Major principles of SNOPAD

When disease names are formed from the taxonomic name of the parasite, use solely and uniformly suffix '-osis' (in plural '-oses') of the varieties of suffixes ('-osis', '-iosis', '-asis', '-iasis') currently in use for coining terms to denominate a disease or infection

The suffix '-osis' is to be added to the stem of the name of the parasite taxon, which, in general, is formed from the nominative case of the taxa by the omission of the last one or two letters (e.g. Trypanosoma, trypanosomosis, Sarcocystis, sarcocystiosis, Fasciola, fasciolosis, Trichostrongylidae, trichostrongylidosis, Ascaris, ascariasis, Trichinella, trichinellosis, Hypoderma, hypodermosis)

When taxa end with '-x' in the nominative the stem is formed from the genitive, and the disease name is derived from the stem of the genitive (e.g. Endolimax, endolimacos ! endolimacosis; Pulex, pulicos!pulicosis)

In some cases, the disease name is formed by adding the suffix '-osis' to the full name of the parasite taxon (e.g. Hepatozoon, hepatozoonosis, Multiceps, multicepsosis, Loa, loaosis, Dermacentor, dermacentorosis, Argas, argasosis, Acarapis, acarapisosis)

Well-established vernacular disease names, not coined from the taxonomic name of the parasite, can also be used as alternatives to the related terms offered by SNOPAD. Examples of such names include sleeping sickness, Chagas' disease, nagana, malaria, East Coast Fever, hydatidosis, cysticercosis, visceral larva migrans, mange, scabies, myiasis, etc.

Disease names can also be formed by using formulas such as 'infection with', 'infection due to' or 'infection caused by' to which the name of the causative agent is added (e.g. infection caused by Echinococcus granulosus)

Professional languages are living, organic formations. Thus, any suggestions of a nomenclatural reform, even the most rational one, cannot be imposed obligatorily on members of the professional community. Although no immediate general agreement was expected, it was hoped that the SNOPAD proposal would become known over time, and that the benefits arising from adoption of a uniform and standard disease nomenclature would lead to its increasing popularity. However, 18 years after the inauguration of the SNOAPAD/SNOPAD, nomenclatural heterogeneity continues to exist both in primary and secondary literature (e.g. databases). Many colleagues are pragmatists, and use terms which they have always used, and which they think are in common use. One should remember what Robert Burns said: 'The best laid schemes o' mice and men Gang aft a-gley'.

3. Objections to SNOPAD

The SNOPAD guideline has gained support and criticism, as well as much indifference. Besides warm welcome of support (Baker, 1989; Breza, 1989; Burt, 1994; Urquhart et al., 1996; Cordero del Campillo and Marti'nez Fern'andez, 2001; Eckert, 2001) SNOPAD also generated some marked opposition (Ashford, 1994; Wallbanks, 1995; Eberhard, 2000). Professor Ashford from the Liverpool School of Tropical Medicine, perhaps the most avowed opponent of the move for a uniform disease nomenclature, carried out extensive correspondence with 'senior parasitologists and editors' in 1994 and in

2001 in order to discredit and disqualify the SNOPAD principles. He and his counterparts have found the whole issue of SNOPAD to be troubling. Ashford voiced his dissenting opinion in print by claiming that ‘the recommendations (by SNOPAD) have clearly been counterproductive, and should be withdrawn’ (Ashford, 2001a). Major objections to SNOPAD are summarized in Table 3.

The adoption of consistency in an inconsistent nomenclatural usage entails alterations. It is a human trait that switching from the use of one term to the other may generate discomfort feeling. However, much of the criticism has been based upon misunderstanding and misinterpretation of a well reasoned proposal, and reflects limited knowledge of the history of nomenclature of parasitic diseases. It is therefore expedient, here, to take a look back at the development of the existing nomenclatural usage.

Table 3
Major objections to the SNOPAD principles

Disregards familiarity and customary usage
Has created greater inconsistency rather than less
May corrupt a fundamental tenet of the English language
Has polarized the parasitologists’ community
There is no need for a uniform disease nomenclature

4. Early history of disease nomenclature

There are different ways of naming host conditions caused by infections with parasites, one of which is the construction of disease names from the name of the parasite taxon by using suffixes. We must realise that the available set of ‘-osis’, ‘-iosis’, ‘-asis’ and ‘-iasis’ – all of which are suffixes of Greek origin – are entirely synonymous, meaning a status of inflammation and consequently that of a disease. The actual usage largely depends on tradition, educational imprinting, euphony, personal preferences and shows great variation.

In 1959 the JAVMA devoted an Editorial to the problems of nomenclature of parasitic diseases (Whitlock, 1959). In that, Whitlock wrote: ‘the indifferent usage of ‘-osis’ and ‘-iasis’ came into parasitology with Flemming’s translation of Neumann’s “Parasites and Parasitic Diseases of Domestic Animals” in 1892’ (Neumann, 1892). ‘By the early 1940s it was apparent that people coining new names were applying either ‘-osis’ or ‘-iasis’ on the basis of euphony instead of a logical or historical reason.’ According to Whitlock (1959) ‘... the parasitologists, in essence, go along with other etiological sciences – such as bacteriology, mycology – and use ‘-osis’ to indicate disease due to parasites in coining new terms.’ He said: ‘the historical precedent is so clear that one has little choice but to name new parasitic diseases with the ‘-osis’ suffix’. He also proposed names ending in ‘-iasis’ for a special function, i.e. for distinguishing asymptomatic forms of parasitic infections from those with clinical manifestations (Whitlock, 1955, 1959). The difficulties inherent in the distinction between the two forms of parasitic infections make it easy to understand why Whitlock’s dichotomous classification of disease names did not gain much popularity in practice. In the first six decades of the 20th century terms ending in ‘-osis’ dominated the disease nomenclature, so only that usage can be considered as truly ‘traditional’. From a quick look at the standard textbooks of distinguished parasitologists of that time such as those written by Neveu-Lemaire (France), Brumpt (France), Wetzel (Germany), Madsen (Denmark), Gordon (Australia) and Kotla’n (Hungary), etc. it is clear that these authors did not feel necessary to use the suffix ‘-iasis’ for coining disease names, unless exceptionally.

The principles of the SNOPAD guideline are based on that tradition, thus the qualification of the nomenclature corresponding to that traditional usage to be ‘nonsensical exhortations’ (Ashford, 2001b) is undeserving and truly nonsensical. Several authors have attempted to establish concepts of a uniform and proper disease terminology on the basis of ‘-osis’ terms (Skrjabin, 1937, 1946; Kotla’n, 1960, 1961; Cordero del Campillo, 1976; Cordero del Campillo and Martı’nez Ferna’ndez, 2001). However, these initiatives have largely been neglected. The indiscriminate, ‘neo-traditional’ use of different suffixes for coining disease names from the taxonomic name of the parasite become more customary in the second half of the last century, especially in the Anglo-Saxon region and in the field of medical parasitology, leading to the existing heterogeneity in spelling.

In order to fulfil the role of an up-to-date dictionary of parasitic diseases, the volume of Parasitic Diseases of the series of International Nomenclature of Diseases (IND) was published in 1987 by the CIOMS and WHO (CIOMS, 1987). In that, terms such as fascioliasis, taeniasis, trichinellosis, etc. are used, but – not

NOMENCLATURE FOR PARASITIC DISEASES: COHABITATION WITH INCONSISTENCY FOR HOW

surprisingly – no names for most parasitic infections of animals are mentioned. The ‘existing’ or ‘general usage’ was claimed to be the only major criterion for the inclusion of a term into the list of names recommended by the IND. Existing usage, however, shows great variation from country to country, school to school, editor to editor, etc. Clearly, it was the lack of well established rules of formation of disease names that compelled the authors of the parasitological issue of the IND to depend on such illdefined selection criteria as the ‘existing’ or ‘general usage’.

The question arises, by what method can customary nomenclatural usage or familiarity be dispassionately assessed?

5. Assessment of customary usage: by what method?

One way of looking at the customary usage of a disease name is to ask a database and count the number of records. This way I have compared the frequency of disease names ending in ‘-osis’ or ‘-iosis’ and ‘-asis’ or ‘-iasis’, respectively, in two databases in the period from 1 January 1999 to 12 December 2003. The titles, abstracts and keywords were searched in CAB Abstracts (database of the Centre for Agricultural and Biosciences International) and Medline. Ten often mentioned genera were selected with the result that in over 96% of the records disease names coined by the suffix ‘-iasis’ occurred (Table 4, Part A). Clearly, in these cases the ‘-asis’ or ‘-iasis’ terms are far more familiar. If we look at another set of 10 parasite genera, it will be seen that in almost all records disease names ending in ‘-osis’ were used (Table 4, Part B). In these instances the ‘-osis’ or

Table 4
Comparison of frequency of disease names ending in ‘-osis’ or ‘-iosis’ and -asis or ‘-iasis’ in two databases (CAB and Medline) in the period 1999–2003

Taxon name of the agent	Disease names coined by			
	‘-osis’, ‘-iosis’		‘-asis’, ‘-iasis’	
	CAB	MEDLINE	CAB	MEDLINE
Part A				
<i>Leishmania</i>	60	60	2096	2137
<i>Trypanosoma</i>	130	102	941	781
<i>Giardia</i>	12	9	450	366
<i>Trichomonas</i>	11	11	320	179
<i>Schistosoma</i>	13	8	2083	1595
<i>Taenia</i>	20	17	168	131
<i>Strongyloides</i>	14	10	217	247
<i>Onchocerca</i>	11	11	377	348
<i>Loa</i>	0	0	53	52
<i>Dracunculus</i>	3	1	49	52
Total (%)	274 (3.9)	229 (3.7)	6754 (96.1)	5888 (96.3)
Part B				
<i>Cryptosporidium</i>	769	745	0	1
<i>Microsporidium</i>	158	206	0	5
<i>Sarcocystis</i>	77	157	0	0
<i>Babesia</i>	416	326	2	1
<i>Piroplasma</i>	34	19	0	0
<i>Pneumocystis</i>	231	41	0	0
<i>Toxoplasma</i>	1290	1465	1	0
<i>Echinococcus</i>	1060	1290	2	3
<i>Hypoderma</i>	33	16	2	0
<i>Pediculus</i>	108	67	0	1
Total (%)	4176 (99.83)	4332 (99.75)	7 (0.17)	11 (0.25)
Part C				
<i>Leptospira</i>	503	613	0	0
<i>Listeria</i>	293	288	0	0
<i>Mycobacterium</i>	71	183	0	0
<i>Salmonella</i>	827	437	1	1
<i>Legionella</i>	16	189	0	0
<i>Brucella</i>	883	911	0	0
<i>Chlamydia</i>	94	47	2	4
<i>Rickettsia</i>	34	62	0	1
<i>Mycoplasma</i>	138	38	0	0
<i>Borrelia</i>	532	548	0	1
Total (%)	3391 (99.91)	3316 (99.79)	3 (0.09)	7 (0.21)

Titles, abstracts and keywords were searched.

-iosis’ terms are far more familiar. However, in cases of many other, perhaps less frequently mentioned genera, most of them being parasites of animal hosts, the distribution between hits of ‘-osis’ and ‘-iasis’ terms varies greatly rendering the assessment of frequency of usage problematic and uncertain. Therefore, I

decided to take a more troublesome but perhaps more informative approach to assess the actual usage of types of disease names in a field wider than that accessible through the web.

6. Survey of nomenclatural usage in the European countries

A survey was made of the usage of names of diseases in textbooks and compendia related to parasitology published since 1990 in Europe (Kassai, 2005). The survey covered national language books used largely in veterinary and medical parasitology training courses. Colleagues from 25 countries were requested to provide data. There were two categories: (A) books adopting disease names coined from taxon names by the suffix ‘-osis’ consistently, and (B) books using terms ending in ‘-osis’ and ‘-iasis’ inconsistently. Details of the survey are presented in Table 5.

Suffixes ‘-osis’ and ‘-iasis’ are adapted in various languages by different spellings indicated in Table 5. Interestingly, in the Danish, French, German, Norwegian, Spanish, etc. languages ‘-ose’ is the normal, vernacular spelling of the English ‘-osis’; on the same way the suffix ‘-iase’ corresponds to the English ‘-iasis’. In the Hungarian language, with ‘-osis’ and ‘-iasis’, the spellings of Grecian–Latin origin have been maintained as in the English.

Responders from 21 countries reported bibliographic data from a total of 126 books or manuals. Of these books 93 (73.8%) adopted consistent ‘-osis’ disease terminology and 33 (26.2%) used a mixture of disease names ending in ‘-osis’ and ‘-iasis’ inconsistently. While the list is far from being complete, and classification was subjected to the personal judgement of the colleagues taking part in the survey, it was clearly shown that books adopting a consistent ‘-osis’

Table 5
Survey of usage of names of parasitic diseases in books published since 1990 in the European countries (Kassai, 2005)

Country	Language	Suffixes for		Number of books or compendia adopting disease names coined from taxon names by suffix			Information provided by
		-osis	-iasis	-osis only	-osis and -iasis	Total	
Austria, Germany, Switzerland	German	-ose	-iase	8	4	12	Eckert, J.; Hiepe, Th.
Bulgaria	Bulgarian	-osa	-iasa	8	5	13	Georgieva, D.
Czech Rep., Slovak Rep.	Czech Slovak	-oza	-iaza	9	0	9	Lukesová, D.; Scholz, T.; Čorba, J.
Denmark	Danish	-ose	-iase	2	1	3	Monrad, J.
Finland	Finnish	-osi	-iasi	0	2	2	Nikander, S.
France, Switzerland	French	-ose	-iase	7	?	7	Euzéby, J.
Greece	Greek	-iós	-iás	3	0	3	Sotiraki, S.
Hungary	Hungarian	-osis	-iasis	6	3	9	Kassai, T.
Italy	Italian	-osi	-iasi	5	6	11	Genchi, C.
Norway	Norwegian	-ose	-iase	14	?	14	Gjerde, B.
Poland	Polish	-oza	-iaza	6	1	7	Wedrychowicz, H.
Romania	Rumanian	-oza	-iaza	5	2	7	Fazakas, B.
Russia, Belarus	Russian	-oz	-iaz	5	0	5	Bessonov, A.
Serbia, Montenegro	Serbian	-oza	-ijaza	6	0	6	Djurković, O.; Petrović, Z.
Spain	Spanish	-ose	-iase	5	3	8	Cordero del Campillo, M.
Sweden	Swedish	-os	-ias	1	?	1	Christensson, D.
United Kingdom	English	-osis	-iasis	3	6	9	Several
Total				93	33	126	

Number of countries invited to the survey 25, responded 21. Of the total number of 126 books analysed, in 93 (73.8%) from 20 countries disease names suffixed by ‘-osis’ are used consistently, and in 33 (26.2%) a mixture of terms suffixed by ‘-osis’ and ‘-iasis’ are in use. The question mark refers to sites where data have not been provided.

disease terminology are more prevalent and are in use in at least 20 countries in Europe (Kassai, 2005). Remember, textbooks have an authoritative function!

According to Ashford’s assessment (2001a) ‘few, if any, other language users have adopted the SNOPAD recommendations’. I am compelled to remember Rudyard Kipling who said: ‘And what should they know of England who only England know?’ The method applied in the above survey is believed to provide more real and accurate information on customary nomenclatural usage, showing that the majority of national language books and compendia used in parasitology training courses in Europe comply with the SNOPAD principles. Although SNOPAD was accused of disregarding familiar and customary usage, these data provided evidence, that, in essence, the SNOPAD concept was developed taking the existing usage into account rather than neglecting it. Therefore, in the assessment of ‘customary’ nomenclatural usage special cautiousness is needed. It would be of interest to obtain comparative data on nomenclatural usage

also in other continents of our Globe.

7. Do we need a uniform and standard disease nomenclature?

The SNOPAD rules were aimed at achieving a uniform and standard disease nomenclature. The response of the opposition was no for uniformity and yes for standardisation. In contrast to Ashford (2001a) who believes that there is no need at all for a uniform disease nomenclature, all informants of the European survey claimed that a uniform nomenclature is useful and necessary. Even Professor Ashford recognises the need for a standard list which would suggest a single recommended name for every pathological entity induced by parasites. His suggestion appears to be logical: to seek for consistency by compiling a standard list from the most commonly used disease names and promoting its universal use. However, the differences in the results of assessment of customary usage by methods of online search and survey of textbooks, respectively, give notice that a list acceptable by all parties concerned can hardly be achieved. Ashford expressed his view that 'there is no body with the authority to prescribe correct usage, certainly not the WAAVP, nor the WFP, nor the EFP' (Ashford, 2001a). Nobody and no body would then be in the possession of the authority for presenting such proposal! It can therefore be concluded that a standard and consistent disease terminology can only be based on uniformity in formation of terms used to denote parasitic infections. Would this not be possible, a consent to any list proposed for standardisation and overall adoption can hardly be achieved. SNOPAD presented a unique attempt for attaining such a standard list by proposing rules for formation of disease names applicable to any parasites.

8. Other charges to SNOPAD

A major charge, expressed by Ashford (1994) that what the uniform '-osis' disease nomenclature proposes is a 'travesty of the English language', moreover, 'it may corrupt a fundamental tenet of the English language', took us by surprise. The unambiguous usage of terms such as toxoplasmosis, cryptosporidiosis, babesiosis, echinococcosis, etc. also by the colleagues being fortunate enough to have English as their mother tongue – not excluding even Professor Ashford (!) –, seems to be strong evidence against the notion that disease names ending in '-osis' suffer from genuine incompatibility with the English language. This is further substantiated by the highly consistent and general usage of the English names of bacterial diseases ending in '-osis' (Table 4, Part C). Professor Ashford may be right to say that 'a salient fundamental feature of the English language, that there are no prescriptive rules' and 'English is characterized by anarchy, and this is one of its most valuable features'. He concluded there was no need for any rule for formation of disease names in the English (Ashford, 2001a). However, in an artificial language, such as nomenclature of parasitic diseases, the value of inconsistency or 'anarchy' is highly doubtful. Agreement with the SNOPAD concept is more obvious in the field of veterinary than of the medical parasitology and tropical medicine.

Anyway, the SNOPAD recommendations can be followed, neglected or refuted by any colleagues should they be vets or others; however, for any 'separation' within the community of parasitologists the SNOPAD rules cannot be blamed. Nevertheless, some colleagues feel that perhaps the major and genuine defect of the SNOPAD proposal, interfering with its more general adoption, was the fact that it was the brain-child of a group of veterinary parasitologists.

9. What next?

Pros and cons regarding the SNOPAD concept have been discussed at various international conferences in search for a consensus. SNOPAD was believed to be especially useful in teaching programmes and promoting effective usage of computerized retrieval services. In the absence of well defined and established rules of formation of disease names there is nothing to prevent the appearance and infiltration of neologisms such as echinococcosis, cryptosporidiosis, trichiniasis, hypodermiiasis, etc. just to recall a few of recent examples from the controlled vocabulary of databases or from other sources.

The SNOPAD terminology was adopted by the Office International des Epizooties—(OIE, World Organisation of Animal Health) which currently comprises 164 member countries. Information is published in the OIE Bulletin every 3 months and in World Animal Health annually. The Animal Health and Production Compendium of CAB International (2003) also adopted the SNOPAD disease nomenclature.

NOMENCLATURE FOR PARASITIC DISEASES: COHABITATION WITH INCONSISTENCY FOR HOW

SNOPAD was intended to assist publishers who recognised the benefits of homogenous nomenclatural usage, and were to adopt that point in their editorial policy. There are some SNOPAD-conform and SNOPAD-refusing journals, besides those which are SNOPAD-indifferent. As an example of the former group, let me cite the Guide for Authors of Veterinary Parasitology: 'For the denomination of parasitic diseases or infections, authors are requested to follow the Standardized Nomenclature of Animal Parasitic Diseases (SNOAPAD) . . .'. However, the stance of most editorials reflects the free spirits (or the peace-loving attitude) allowing either versions of disease names to be used according to the penchant of the individual authors. Editorials, database producers and the teaching staff of the higher education hold the key to further progress provided they are open to see the advantages of using a single name of worldwide currency for each disease entity (Kassai, 2005). The power of common sense conservatism is illustrated by the general term 'lymphatic filariasis' commonly used for denominating human disease which is caused by nematodes not of the genus *Filaria*, but by those of the genera *Wuchereria* and *Brugia*, which do not belong even to the family Filariidae but to Onchocercidae. Since all the related genera do belong to the superfamily Filarioidea, an etymologically correct disease name, filarioidosis, derived from that higher taxon name has been offered instead of filariasis (Kassai, 1999, 2002). Nevertheless, in the general usage preference is given to familiarity over etymological correctness, thus the established 'lymphatic filariasis' ('bancroftian' and 'malayan filariasis') continues to be in use, thus avoiding the feeling of 'terminological confusion'. It is to be recognized that there are a relatively low number (around 20) of '-iasis' terms commonly used indeed, such as leishmaniasis, schistosomiasis, taeniasis, filariasis and others (Table 4, Part A), the use of which will hardly be discontinued just for the sake of uniformity.

10. Differential disease names

An aspect of disease terminology, not covered by the SNOPAD, concerns the use of differential disease names. We are in the need of such terms whenever clear reference is required regarding which of the several congeneric species of parasites is the causative agent of an infection, *Echinococcus granulosus* or *Echinococcus multilocularis*, *Fasciola hepatica* or *Fasciola gigantica*, etc.

Conventionally, differential disease names consist of two words. The first one is the disease name, and the second word is the singular genitive of the species name of the parasite, e.g. echinococcosis granulosi, echinococcosis multilocularis, fasciolosis hepaticae, fasciolosis giganticae.

In Latin, the nominative and genitive forms are mostly identical; in some cases however they are different. A grammatically sound genitive formation of the species names would require an appropriate command of the Latin language which the great and increasing majority of contemporary users do not possess. Therefore, for simple practical reasons, it has been put forward to use consequently for the second part of differential disease names the nominative form of the species names, e.g. echinococcosis granulosus, fasciolosis hepatica, schistosomosis or schistosomiasis japonicum (Kassai, 2001). Updating a scientific language should depend on considerations favouring clarity and consistency of usage rather than any strict philological or grammatical rules. If that simple change was adopted, a further source of inconsistency in nomenclatural usage could be readily removed.

11. Conclusion

From the presented evidence it would appear that the arguments of the SNOPAD opposition largely are derived from personal preferences, individual predilection, misinterpretation and lack of recognition of the benefits that may arise from the use of a uniform disease nomenclature. In fact, SNOPAD is nothing more and nothing less (!) than a guideline based on carefully reasoned and clearly defined principles for those colleagues (teachers, authors, editors, etc.) dissatisfied with the existing heterogeneous and inconsistent nomenclatural usage, who wish to rely on a uniform and proper disease nomenclature.

Thus, the future trend in the development of our professional language will likely be continuing encouragement of conscious and consequent use of disease names ending in '-osis', corresponding to the SNOPAD principles, and concurrently, acceptance also of terms with other spellings until we have to cohabit with inconsistency. Leave the rest to evolution!

REFERENCES

1. Ashford, R. W., 1994. A plea for consistency; reply. *Parasitol. Today* 10, 143.
2. Ashford, R. W., 2001a. Current usage of nomenclature for parasitic diseases, with special reference to those involving arthropods. Review article. *Med. Vet. Entomol.* 15, 121–125.
3. Ashford, R. W., 2001b. Evolutionary biology of host-parasite relationships. In: Poulin, R., Morand, S.,

NOMENCLATURE FOR PARASITIC DISEASES: COHABITATION WITH INCONSISTENCY FOR HOW

- Skorping, A. (Eds.), *Ann. Trop. Med. Parasitol.* 95, 111–112.
4. Baker, J.R., 1989. Towards standardised names for parasitic diseases. *Parasitol. Today* 2, 31–32.
5. Breza, M., 1989. Topical news. The need for uniform terminology in the field of zooparasitoses nomenclature. *Helminthologia* 26, 173–175.
6. Burt, M.D.B., 1994. Standardized nomenclature of parasitic diseases. *Parasitol. Today* 10, 468.
7. CIOMS, 1987. *International Nomenclature of Diseases*, vol. 2. Infectious Diseases. Part 4. Parasitic Diseases. World Health Organization.
8. Cordero del Campillo, M., 1976. Sobre la terminología parasitológica. *Ann. Facultad de Veterinaria de Leon (España)* 22, 47–52 (Reproduced in *Rev. Ibér. Parasitol.* 37 167–174).
9. Cordero del Campillo, M., Martínez Fernández, A.R., 2001. Problemas de nomenclatura en parasitología. *Panace@* 2, 94–97.
10. Eberhard, M.L., 2000. Veterinary Helminthology (Kassai, T.) *Parasitol. Today* 16, 218.
11. Eckert, J., 2001. Parasitology nomenclature—a recommendation. *Trends Parasitol.* 17, 7.
12. Kassai, T., 1999. *Veterinary Helminthology*. Butterworth-Heinemann, Oxford.
13. Kassai, T., 2001. Disease nomenclature. *Trends Parasitol.* 17, 217–218.
14. Kassai, T., 2002. A worm by any other name. *Trends Parasitol.* 18, 246.
15. Kassai, T., 2005. Nomenclature for parasitic diseases: a survey of current usage in the European countries. In: Mas Coma, S. (Ed.), *Proceedings of the Ninth European Multicollquium of Parasitology on Multidisciplinarity for Parasites, Vectors and Parasitic Diseases*, vol. 1, Articles of Keynote Speakers, July 18–23, 2004, Valencia, Spain. Medimond, Bologna, pp. 351–355.
16. Kassai, T., Burt, M.D.B., 1994. A plea for consistency. *Parasitol. Today* 10, 127–128.
17. Kassai, T., Cordero del Campillo, M., Euzeby, J., Gaafar, S., Hiepe, Th., Himonas, C.A., 1988. Standardized nomenclature of animal parasitic diseases (SNOAPAD). *Vet. Parasitol.* 29, 299–326.
18. Kotla'n, A., 1961. Neue Bestrebungen auf dem Gebiet der Parasitologie. Die Nomenklatur der Helminthosen. *Helminthologia* 3, 174–182.
19. Kotla'n, A., 1960. *Helminthologie*. Akade'mia Kiado', Budapest.
20. Neumann, L.G., 1892. *Traite' des Maladies Parasitaires non Microbiennes des Animaux Domestiques*. Asselin et Houzeau, Paris.
21. Skrjabin, K.I., 1937. Le problème de la déshelminthisation des animaux a l'U.R.S.S. XII. Congr. Int. Me'd. Vet., New York, T. III.
22. Skrjabin, K.I., 1946. *Stroitelstvo sovietskoy helminthologii*. Isd. A. N. USSR, Moscow and Leningrad.
23. Urquhart, G.M., Armour, J., Duncan, J.L., Dunn, A.M., Jennings, F.W., 1996. *Veterinary Parasitology*, 2nd ed. Blackwell Science, Oxford.
24. Wallbanks, K., 1995. Straw poll on nomenclature of parasitic diseases. *Parasitol. Today* 11, 298.
25. Whitlock, J.H., 1955. Trichostrongylidosis in sheep and cattle. In: *Proceedings of the 92nd Annual Meeting of American Veterinary Medical Association*. pp. 123–131.
26. Whitlock, J.H., 1959. Problems of nomenclature in parasitic diseases. *J. Am. Vet. Med. Assoc.* 134, 291–292.

Publish Research Article International Level Multidisciplinary Research Journal For All Subjects

Dear Sir/Mam,

We invite unpublished Research Paper, Summary of Research Project, Theses, Books and Books Review for publication, you will be pleased to know that our journals are

Associated and Indexed, India

- ★ Directory Of Research Journal Indexing
- ★ International Scientific Journal Consortium Scientific
- ★ OPEN J-GATE

Associated and Indexed, USA

- DOAJ
- EBSCO
- Crossref DOI
- Index Copernicus
- Publication Index
- Academic Journal Database
- Contemporary Research Index
- Academic Paper Database
- Digital Journals Database
- Current Index to Scholarly Journals
- Elite Scientific Journal Archive
- Directory Of Academic Resources
- Scholar Journal Index
- Recent Science Index
- Scientific Resources Database

Review Of Research Journal
258/34 Raviwar Peth Solapur-413005, Maharashtra
Contact-9595359435
E-Mail-ayisrj@yahoo.in/ayisrj2011@gmail.com
Website : www.ror.isrj.net